

The book cover features a deep red, textured background. A decorative border is embossed into the cover, consisting of a rectangular frame with ornate, scrolled corners. At the top center of the cover, there are three circular crests or medallions, also embossed. The leftmost crest contains a globe with vertical lines. The middle crest is larger and features a swan. The rightmost crest depicts an eagle with spread wings perched on a base. The text is printed in a gold-colored, elegant script font.

*Isaac Nash & Sons,*

*Wollaston Mills,*

*Stourbridge.*



In consequence of the great expense incurred in the production of this Catalogue, it is particularly requested that it be kept as a book of reference. Only a limited number having been printed, a second copy cannot be supplied.

*Registered No. 1955*

Customers are invited to keep this Catalogue intact, in order that it may be revised or replaced at any future time.

The Designs, Contents, and General Arrangement are protected by Copyright.













*Cancels all Previous Lists.*

1899.

THE MANUFACTURES OF

**Isaac Nash & Sons,**

WOLLASTON MILLS,

**STOURBRIDGE,**

ENGLAND.

*Subject to alteration without notice.*







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.





# LONDON AND COUNTRY SHOVELS.

## 41 LONDON SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.
000	8	$\times 10\frac{1}{2}$	27/-
00	$8\frac{1}{2}$	$\times 11$	28/-
0	9	$\times 11\frac{1}{2}$	29/-
1	$9\frac{1}{2}$	$\times 12$	30/-
2	10	$\times 12\frac{1}{2}$	32/-
3	$10\frac{1}{2}$	$\times 13$	34/-
4	11	$\times 13\frac{1}{2}$	36/-
5	$11\frac{1}{2}$	$\times 14$	38/-
6	12	$\times 14\frac{1}{2}$	41/-

Rivetted Eye Handles 2/- per doz. extra.

## 528 LONDON SHOVELS. Long Straps, Rivetted Eye Handles.

Size No.	Width. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
000	8	$\times 10\frac{1}{2}$	31/-	... 39/-
00	$8\frac{1}{2}$	$\times 11$	32/-	... 40/-
0	9	$\times 11\frac{1}{2}$	33/-	... 41/-
1	$9\frac{1}{2}$	$\times 12$	34/-	... 42/-
2	10	$\times 12\frac{1}{2}$	36/-	... 44/-
3	$10\frac{1}{2}$	$\times 13$	38/-	... 46/-
4	11	$\times 13\frac{1}{2}$	40/-	... 48/-
5	$11\frac{1}{2}$	$\times 14$	42/-	... 50/-
6	12	$\times 14\frac{1}{2}$	45/-	... 53/-

Treaded ... 2/- per doz. extra.

Strap-treaded ... 4/- " "

Extra strong ... 2/- " "

## 45 NORFOLK SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
000	8	$\times 11$	32/-	... 40/-
00	$8\frac{1}{2}$	$\times 11\frac{1}{2}$	34/-	... 42/-
0	9	$\times 12$	36/-	... 44/-
1	$9\frac{1}{2}$	$\times 12\frac{1}{2}$	38/-	... 46/-
2	10	$\times 13$	40/-	... 48/-

Rivetted Eye Handles, 2/- per doz. extra.

## 46 NORFOLK SPADE SHOVELS.

Size No.	Top. Inches.	Bottom. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
1	$7\frac{3}{4}$	$\times 6$	$\times 11$	36/-	... 44/-
2	$8\frac{1}{4}$	$\times 6\frac{1}{2}$	$\times 11\frac{1}{2}$	38/-	... 46/-
3	$8\frac{3}{4}$	$\times 7$	$\times 12$	40/-	... 48/-
4	$9\frac{1}{4}$	$\times 7\frac{1}{2}$	$\times 12\frac{1}{2}$	42/-	... 50/-

Rivetted Eye Handles, 2/- per doz. extra.

## 529 CROCKING SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
000	8	$\times 10\frac{1}{2}$	27/-	... 35/-
00	$8\frac{1}{2}$	$\times 11$	28/-	... 36/-
0	9	$\times 11\frac{1}{2}$	29/-	... 37/-
1	$9\frac{1}{2}$	$\times 12$	30/-	... 38/-
2	10	$\times 12\frac{1}{2}$	32/-	... 40/-

Rivetted Eye Handles, 2/- per doz. extra.

## 530 RAILWAY SHOVELS. Long Straps.

Size No.	Width. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
000	8	$\times 10\frac{1}{2}$	29/-	... 37/-
00	$8\frac{1}{2}$	$\times 11$	30/-	... 38/-
0	9	$\times 11\frac{1}{2}$	31/-	... 39/-
1	$9\frac{1}{2}$	$\times 12$	32/-	... 40/-
2	10	$\times 12\frac{1}{2}$	34/-	... 42/-

## 47 NORFOLK FURROWS.

Size No.	Width. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
1	$6\frac{1}{2}$	$\times 10\frac{1}{2}$	32/-	... 40/-
2	7	$\times 11$	34/-	... 42/-
3	$7\frac{1}{2}$	$\times 11\frac{1}{2}$	36/-	... 44/-

Rivetted Eye Handles, 2/- per doz. extra.


## 48 LONDON WATER FURROWS.

Size No.	Width. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
0	6	$\times 10\frac{1}{2}$	27/-	... 35/-
1	$6\frac{1}{2}$	$\times 11$	28/-	... 36/-
2	7	$\times 11\frac{1}{2}$	30/-	... 38/-
3	$7\frac{1}{2}$	$\times 12$	32/-	... 40/-

Rivetted Eye Handles, 2/- per doz. extra.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.

REGISTERED



TRADE MARKS



## COUNTRY SHOVELS.

### 42 TAPER OR MARL SHOVELS.

Size No.	Top.	Bottom.	Length.	Per Doz.	
				Ordinary.	Cast Steel Faced.
1	9½	8	12½	30/-	38/-
2	10	8½	13	32/-	40/-
3	10½	9	13½	34/-	42/-
4	11	9½	14	36/-	44/-

Three-Rivet Straps ... 2/- per doz. extra.  
Rivettted Eye Handles, 2/- " "

### 531 STAFFORDSHIRE OR SOLID TAPER SHOVELS.

Size No.	Top.	Bottom.	Length.	Per Doz.	
				Ordinary.	Cast Steel Faced.
1	9½	8	12	40/-	48/-
2	10	8½	12½	42/-	50/-
3	10½	9	13	44/-	52/-
4	11	9½	13½	46/-	54/-

Rivettted Eye Handles, 2/- per doz. extra.

### 43 BURTON SHOVELS.

Size No.	Width.	Length.	Per Doz.
		Inches.	
0	9	11½	29/-
1	9½	12	30/-
2	10	12½	32/-
3	10½	13	34/-
4	11	13½	36/-

Rivettted Eye Handles, 2/- per doz. extra.

### 3 NORRIS'S PATTERN "EXCELSIOR" SHOVELS. Best Cast Steel Plates.

Size No.	Width.	Length.	Per Doz.
		Inches.	
1	9½	12	38/-
2	10	12½	40/-
3	10½	13	42/-
4	11	13½	44/-
5	11½	14	46/-
6	12	14½	49/-
7	12½	15	52/-
8	13	15½	55/-
9	13½	16	58/-
10	14	16½	61/-

Rivettted Eye Handles, 2/- per doz. extra.  
Three-Rivet Straps 2/- " "

### 532 MOULDERS' SHOVELS. Long Straps.

Size No.	Width.	Length.	Per Doz.	
		Inches.	Ordinary.	Cast Steel Faced.
00	8½	11	34/-	42/-
0	9	11½	35/-	43/-
1	9½	12	36/-	44/-
2	10	12½	38/-	46/-

Rivettted Eye Handles, 2/- per doz. extra.

### 533 SWORD OR CENTRE STRAP MOULDERS' SHOVELS.

Size No.	Width.	Length.	Per Doz.	
		Inches.	Solid Steel.	Cast Steel Faced.
00	8½	11	44/-	52/-
0	9	11½	45/-	53/-
1	9½	12	46/-	54/-
2	10	12½	48/-	56/-

Rivettted Eye Handles, 2/- per doz. extra.

### 534 SOLID BACK ALL STEEL SHOVELS. Rivettted Front Straps, Rivettted Eye Handles.

Size No.	Width.	Length.	Per Doz.
		Inches.	
0	9	11½	31/-
1	9½	12	33/-
2	10	12½	35/-
3	10½	13	37/-
4	11	13½	39/-
5	12	14	41/-

### 535 RIVETTLED ALL STEEL SHOVELS. Rivettted Back and Front Straps, Rivettted Eye Handles

Size No.	Width.	Length.	Per Doz.
		Inches.	
0	9	11½	31/-
1	9½	12	33/-
2	10	12½	35/-
3	10½	13	37/-
4	11	13½	39/-
5	11½	14	41/-
6	12	14½	43/-
7	12½	15	45/-
8	13	15½	47/-



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



BACK VIEW



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



# LONDON AND COUNTRY SHOVELS.

57

## OPEN SOCKET SQUARE SHOVELS.

Riveted Eye Handles.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			*Hammered.	Rolled.
1	9½	12	25/-	21/-
2	10	12½	26/-	22/-
3	10½	13	27/-	23/-
4	11	13½	28/-	24/-
5	11½	14	29/-	25/-
6	12	14½	31/-	27/-
7	12½	15	33/-	29/-
8	13	15½	35/-	31/-
9	13½	16	38/-	34/-
10	14	16½	41/-	37/-
11	14½	17	44/-	40/-
12	15	17½	48/-	44/-

\* We draw particular attention to these, each blade being HAMMERED from a solid bar of Steel; they are made specially strong at the neck and down the centre. One hammered blade will last longer than two of the ordinary rolled blades.

58

## OPEN SOCKET SQUARE SHOVELS.

Crutch Handles.

4/- per doz. less than No. 57.

51

## BRISTOL SHOVELS.

Square Mouth.

Size No.	Width. Inches.	Per Doz.
0	8	20/-
1	8½	22/-
2	9	24/-
3	10	26/-
4	11	28/-
5	12	30/-
6	12½	32/-
7	13	34/-
8	13½	36/-
9	14	38/-

52

## BRISTOL SHOVELS.

Round Mouth.

Sizes and Prices as No. 51.

64

## C.S. "UNIVERSAL" BRISTOL SHOVELS.

Round Mouth.

Size No.	Top. Inches.	Bottom. Inches.	Length. Inches.	Per Doz.	
				Trade Mark.	
1	9½	8	11½	25/-	
2	10	8½	12	26/-	
3	10½	9	12½	27/-	
4	11	9½	13	28/-	
5	11½	10	13½	29/-	
6	12	10½	14	31/-	
7	12½	11	14½	33/-	
8	13	11½	15	35/-	
9	13½	12	15½	38/-	
10	14	12½	16	41/-	
11	14½	13	16½	44/-	
12	15	13½	17	48/-	

64A.

## C.S. "UNIVERSAL" BRISTOL SHOVELS.

Square Mouth.

Sizes and Prices as No. 64.

70

## C.S. "UNIVERSAL" BARN SHOVELS.

Riveted Eye Handles.

Top. Inches.	Bottom. Inches.	Length. Inches.	Per Doz.	
			Trade Mark.	
10½	12½	16½	44/-	

54

## CHESHIRE LANGET SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Solid Steel.	Cast Steel Faced.
1	9½	12	40/-	48/-
2	10	12½	42/-	50/-
3	10½	13	44/-	52/-
4	11	13½	46/-	54/-
5	11½	14	48/-	56/-
6	12	14½	51/-	59/-
7	12½	15	54/-	62/-
8	13	15½	57/-	65/-
9	13½	16	60/-	68/-

55

## CHESHIRE SOCKET SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Solid Steel.	Cast Steel Faced.
1	9½	12	42/-	50/-
2	10	12½	44/-	52/-
3	10½	13	46/-	54/-
4	11	13½	48/-	56/-
5	11½	14	50/-	58/-
6	12	14½	53/-	61/-
7	12½	15	56/-	64/-
8	13	15½	59/-	67/-
9	13½	16	62/-	70/-



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



## LONDON AND COUNTRY COAL SHOVELS.

59

## C.S. "UNIVERSAL" COAL SHOVELS.

Open Sockets, Double Rivetted Eye Handles.

Trade



Mark.

Size No.	Width.	Length.	Per doz.
7	12½ Inches.	× 15	35/-
8	13	× 15½	39/-

60

## C.S. "UNIVERSAL" COAL SHOVELS.

Open Sockets, Double Rivetted Eye Handles.

Trade



Mark.

Size No.	Width.	Length.	Steel Guards.	Leather Guards.
7	12½ Inches.	× 15	42/-	50/-
8	13	× 15½	44/-	52/-

63

## C.S. "UNIVERSAL" CHARGING SHOVELS.

Open Sockets, Crutch Handles.

Trade



Mark.

Size No.	Top.	Bottom.	Length.	Per dozen.
5	11	× 10½	× 14	29/-
6	11½	× 11	× 15	31/-
7	12	× 11½	× 15½	33/-
8	12½	× 12	× 16	35/-
9	13	× 12½	× 16½	38/-
10	13½	× 13	× 17	41/-

536

C.S. "UNIVERSAL" "YARMOUTH"  
COAL SHOVELS.

Trade



Mark.

Top.	Bottom.	Length.	Per dozen.
15½	× 10½	× 16½	47/-

537

## OPEN SOCKET STOVE SHOVELS.

No. 00	0	1	2	3	4
5½	6	6½	7	7½	8 inch
11/6	12/-	12/6	14/-	15/6	17/- per doz.

71

## LONDON COAL SHOVELS.

Small Pointed.

56/- per dozen.

73

## COAL TRIMMER'S SHOVELS.

With Cape, Long Straps and Rivetted Eye Handles.

12	13	14	15 inch.
58/-	60/-	62/-	64/- doz.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.

REGISTERED



TRADE MARKS



## COAL SHOVELS.

50

### LIVERPOOL COAL SHOVELS.

14	15	16	17	18 inches wide.
40/-	42/-	44/-	46/-	48/- per dozen.

56

### SOLID LOCOMOTIVE STOKING SHOVELS

Width.	Length.		Per Doz.	
Inches.				
9½	× 18	...	60/-	68/-
9¾	× 19	...	62/-	70/-
10	× 20	...	64/-	72/-

69

### C.S. "UNIVERSAL" LOCOMOTIVE STOKING SHOVELS.

Trade



Mark.

Width.	Length.		Per Doz.
Inches.			
9½	× 16	...	44/-
9½	× 18	...	44/-
9¾	× 19	...	46/-
10	× 20	...	48/-

538

### C.S. "UNIVERSAL" RETORT CHARGING SHOVELS.

Trade



Mark.

Width.	Length.		Per Doz.
Inches.			
9	× 16	...	42/-

Other sizes to order.

Long Handles, 3ft. and above, 2/- per dozen extra.

539

### C.S. "UNIVERSAL" PAN COAL SHOVELS.

Trade



Mark.

12	13	14	15	16	17 inches.
42/-	43/-	44/-	45/-	46/-	48/- per dozen.

540

### ALL STEEL BRIGHT CARDIFF COAL TRIMMERS' SHOVELS.

5½ to 6lbs. each ... .. 82/- per dozen.



541

### FUSSELL'S NEWPORT COAL TRIMMERS' SHOVELS.

60/3 per dozen.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING



## MUD SCOOPS, MINERS' SHOVELS, PEEL PLATES, AND PUDDLERS' BITS.

### MUD SCOOPS.

65

C.S. "UNIVERSAL" MUD SCOOPS.

Trade  Mark.

Width.	Inches.	Length.	Per Doz.
9½	×	16	50/-

66

SOLID FRONT STRAP MUD SCOOPS.

Width.	Inches.	Length.	Per Doz.
9½	×	16	55/-

67

IMPROVED RIVETTED PLATE MUD SCOOPS.

Width.	Inches.	Length.	Per Doz.
9½	×	16	55/-

68

C.S. "UNIVERSAL" BIRMINGHAM MUD SCOOPS.

Rivetted Eye Handles.

Trade  Mark.

Width.	Inches.	Length.	Per Doz.
11	×	13½	56/-

### MINERS' SHOVELS.

NO.								PER CWT.
542	Welsh Pattern ...	...	...	...	...	...	...	55/-
543	Cowbridge Pattern	...	...	...	...	...	...	66/-
544	Square "	...	...	...	...	...	...	55/-
545	St. Austell "	...	...	...	...	...	...	55/-
546	Devon "	...	...	...	...	...	...	66/-

Miners' Shovels made to any pattern.

136S

SOCKET PEEL PLATES.

55/- per cwt.

136

PEEL PLATES TO WELD.

50/- per cwt.


547

PUDDLERS' BITS.

44/- per cwt.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.





## SECTION II.


---

### SPADES & DRAINING TOOLS.

---

Our Cast Steel Faced Spades and Draining Tools have a full weight of best Crucible Cast Steel, welded by means of a Chemical Flux on the front of each. Tools so made are superior to all others, as they are extremely durable, carry a bright surface in use, and retain a keen edge to the last.

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



REGISTERED



TRADE MARKS



# LONDON AND COUNTRY SPADES.

9

## LONDON TREADED SPADES.

Size No.	Width. Inches.	Length. Inches.	Per Doz.
00	6 $\frac{3}{4}$	10 $\frac{1}{4}$	28/-
0	7	11	29/-
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	30/-
2	7 $\frac{3}{4}$	12	32/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	34/-
4	8 $\frac{3}{4}$	13	36/-
Side Straps ... ..			2/- per doz. extra.
Ribbed... ..			2/- " "
Rivetted Eye Handles ... ..			2/- " "
Extra Strong... ..			2/- " "

565

## LONDON TREADED SPADES.

Long Straps, Side Straps, and  
Rivetted Eye Handles.

Size No.	Width. Inches.	Length. Inches.	Per Doz. Ordinary.	Cast Steel Faced.
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	36/-	44/-
2	7 $\frac{3}{4}$	12	38/-	46/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	40/-	48/-
4	8 $\frac{3}{4}$	13	42/-	50/-

10

## LONDON TREADED SPADES.

Long Straps and Rivetted Eye Handles.

Size No.	Width. Inches.	Length. Inches.	Per Doz. Ordinary.	Cast Steel Faced.
0	7	11	33/-	41/-
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	34/-	42/-
2	7 $\frac{3}{4}$	12	36/-	44/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	38/-	46/-
4	8 $\frac{3}{4}$	13	40/-	48/-
Ribbed... ..			2/- per doz. extra.	
Extra Strong .. ..			2/- " "	

566

## NURSERY SPADES.

Treaded, Extra Long and Side Straps, Ribbed,  
Rivetted Eye Handles.

Size No.	Top. Inches.	Bottom. Inches.	Length. Inches.	Per Doz. Ordinary.	Cast Steel Faced.
1	7 $\frac{1}{2}$	6 $\frac{1}{2}$	11 $\frac{1}{2}$	40/-	48/-
2	7 $\frac{3}{4}$	6 $\frac{3}{4}$	12	42/-	50/-
3	8 $\frac{1}{4}$	7 $\frac{1}{4}$	12 $\frac{1}{2}$	44/-	52/-
4	8 $\frac{3}{4}$	7 $\frac{3}{4}$	13	46/-	54/-

507

## WELSH TREADED SPADES.

(London Pattern.)

Sizes and Prices as No. 9.

17

## NORFOLK SPADES.

Size No.	Top. Inches.	Bottom. Inches.	Length. Inches.	Per Doz. Black.	Bright.
1	7 $\frac{1}{2}$	6	10 $\frac{1}{2}$	38/-	46/-
2	8	6 $\frac{1}{2}$	11	40/-	48/-
3	8 $\frac{1}{2}$	7	11 $\frac{1}{2}$	42/-	50/-
4	9	7 $\frac{1}{2}$	12	44/-	52/-

Rivetted Eye Handles 2/- per doz. extra.

Cast Steel Faced ... 8/- " "

11

## THICK TOP SPADES.

Long Straps.

Size No.	Width. Inches.	Length. Inches.	Per Doz. Ordinary	Cast Steel Faced.
0	7	11	32/-	40/-
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	34/-	42/-
2	7 $\frac{3}{4}$	12	36/-	44/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	38/-	46/-

Rivetted Eye Handles 2/- per doz. extra.

**Taper Thick Top Spades same prices.**

567

## C.S. "UNIVERSAL" LONDON TREADED SPADES.


Rivetted Eye Handles.



Size No.	Width. Inches.	Length. Inches.	Per Doz.
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	25/-
2	7 $\frac{3}{4}$	12	27/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	29/-



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.

REGISTERED



TRADE MARKS

## COUNTRY SPADES.

14

### HEREFORD CROWN BRIGHT SPADES.

Size No.	Top. Bottom. Length. Inches.	Per Doz.	
		Ordinary.	Cast Steel Faced.
1	7½ × 7½ × 11	42/-	50/-
2	7½ × 8 × 11½	44/-	52/-
3	8½ × 8½ × 12	46/-	54/-
4	8½ × 9 × 12½	48/-	56/-

24

### STRAPPED GLOUCESTER SPADES.

Size No.	Top. Bottom. Length. Inches.	Per Doz.	
		Ordinary.	Cast Steel Faced.
0	6½ × 7 × 10½	30/-	38/-
1	7 × 7½ × 11	32/-	40/-
2	7½ × 8 × 11½	34/-	42/-
3	8 × 8½ × 12	36/-	44/-

21

### BRISTOL SPADES.

Size No.	Top. Bottom. Length. Inches.	Per Doz.	
		Ordinary.	Cast Steel Faced.
0	6 × 6½ × 10½	29/-	37/-
1	6½ × 7 × 11	30/-	38/-
2	7 × 7½ × 11½	32/-	40/-
3	7½ × 8 × 12	34/-	42/-

Half bright ... 4/- per doz. extra.

All bright ... 8/- "

28

### SOLID GLOUCESTER SPADES.

(Or Gabb's Pattern Spades.)

Size No.	Top. Bottom. Length. Inches.	Per Doz.	
		Solid Steel.	Cast Steel Faced.
0	6½ × 7 × 10½	38/-	46/-
1	7 × 7½ × 11	40/-	48/-
2	7½ × 8 × 11½	42/-	50/-
3	8 × 8½ × 12	44/-	52/-
4	8½ × 9 × 12½	46/-	54/-

All bright, 8/- per doz. extra.

22

### DORSET, SOMERSET, WILTS, AND WARMINSTER SPADES.

Size No.	Width. Length. Inches.	Per Doz.	
		Ordinary.	Cast Steel Faced.
00	6 × 10½	30/-	38/-
0	6½ × 11	32/-	40/-
1	7 × 11½	34/-	42/-
2	7½ × 12	36/-	44/-
3	8 × 12½	38/-	46/-

Three-Rivet Straps ... 2/- per doz. extra.

Side Straps ... 2/- "

Three Quarter Bright 6/- "

568

### SOLID PIPE SPADES.

Size No.	Width. Length. Inches.	Per Doz.	
		Solid Steel.	Cast Steel Faced.
1	7½ × 11½	42/-	50/-
2	7½ × 12	44/-	52/-
3	8½ × 12½	46/-	54/-
4	8½ × 13	48/-	56/-

Four-Rivet Straps, 2/- per doz. extra.

20

### LONG KNOB PIPE SPADES.

Three-Rivet Straps.

Size No.	Width. Length. Inches.	Per Doz.	
		Ordinary.	Cast Steel Faced.
1	7½ × 11½	34/-	42/-
2	7½ × 12	36/-	44/-
3	8½ × 12½	38/-	46/-
4	8½ × 13	40/-	48/-

Ribbed ... 2/- per doz. extra.

Rivettted Eye Handles 2/- " "

Four-Rivet Straps ... 2/- " "

Two-Rivet Straps ... 2/- " less.

23



### JERSEY SPADES.

Size No.	Top. Bottom. Length. Inches.	Per Doz.	
		Ordinary.	Cast Steel Faced.
1	8½ × 9½ × 11	38/-	46/-
2	9 × 9½ × 11½	40/-	48/-
3	9½ × 10 × 12	42/-	50/-

All bright, 8/- per doz. extra.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.

REGISTERED



TRADE MARKS



# COUNTRY SPADES.

FUSSELLS' SPECIAL PATTERNS.

## 571

### FUSSELLS' MARSH SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
00	5½	× 12	31/-	... 37/-
1	6	× 13	33/-	... 39/-
1½	6	× 13½	34/-	... 40/-
2	6½	× 14	35/-	... 41/-
3	6	× 14½	37/-	... 43/-

Treaded ... 2/- per doz. extra.

Three-Rivet Straps ... 2/- " "

## 573

### FUSSELLS' BULL SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
8	5½	× 13	33/-	... 39/-
9	6	× 14	35/-	... 41/-

## 572

### FUSSELLS' DELVER SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
4	6½	× 12½	33/-	... 39/-
5	6¾	× 14	35/-	... 41/-

Treaded, 2/- per doz. extra.

## 574

### FUSSELLS' TEAZLE SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
10	5½	× 15½	34/-	... 40/-
11	5½	× 16½	36/-	... 42/-
12	5½	× 17½	38/-	... 44/-

## 575

### FUSSELLS' SOMERSET, WILTS, AND DORSET SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
00	6	× 10½	29/-	... 35/-
0	6½	× 11	31/-	... 37/-
1	7	× 11½	33/-	... 39/-
2	7½	× 12	35/-	... 41/-
3	8	× 12½	37/-	... 43/-

Side Straps ... 2/- per doz. extra.

Three-Rivet Straps ... 2/- " "

## 578

### FUSSELLS' EXETER SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
2	7½	× 12	38/-	... 44/-
3	8	× 12½	40/-	... 46/-
4	8½	× 13	42/-	... 48/-
5	8¾	× 13½	44/-	... 50/-
6	9	× 14	46/-	... 52/-

Four-Rivet Straps, 2/- per doz. extra.

## 576

### FUSSELLS' DORNING SPADES.

Ordinary.	Cast Steel Faced.
40/-	46/- per doz.

## 577

### FUSSELLS' MALMESBURY SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
0	6½	× 11	33/-	... 39/-
1	7	× 11½	35/-	... 41/-
2	7½	× 12	37/-	... 43/-

Three-Rivet Straps, 2/- per doz. extra.

## 579

### FUSSELLS' SOMERSET SOCKET SPADES.

Width. Inches.	Length.	Per Doz.	
		Ordinary.	Cast Steel Faced.
6	× 10½	27/-	... 33/-
6½	× 11	29/-	... 35/-
7	× 11½	31/-	... 37/-
7½	× 12	33/-	... 39/-

Riveted Eye Handles 2/- per doz. extra.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



571



572



573



574

Registered  
Trade Marks



FUSSELL  
MELLS

JAS FUSSELL  
MELLS

JAS. FUSSELL MELLS



575



576



577



578



579

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



## DRAINING TOOLS.

76

### STRAPPED DRAINING TOOLS.

#### Three-Rivet Straps.

Top.	Bottom.	Length.	Per Doz.	
Inches.	Inches.	Inches.	Ordinary.	Cast Steel Faced.
6	3	16	41/-	49/-
6	4	16	42/-	50/-
6	4½	16	43/-	51/-
6	3½	18	44/-	52/-
6	4	18	45/-	53/-
6	4½	18	46/-	54/-
6	3½	20	47/-	55/-
6	4	20	48/-	56/-

Four-Rivet Straps ... 2/- per doz. extra.

Rivetted Eye Handles 2/- "

78

### SOCKET DRAINING TOOLS.

Top.	Bottom.	Length.	Per Doz.	
Inches.	Inches.	Inches.	Solid Steel.	Cast Steel Faced.
6	3	16	53/-	61/-
6	4	16	54/-	62/-
6	4½	16	55/-	63/-
6	3½	18	56/-	64/-
6	4	18	57/-	65/-
6	4½	18	58/-	66/-
6	3½	20	59/-	67/-
6	4	20	60/-	68/-

79

### GRAFTING TOOLS.

#### Three-Rivet Straps.

Size No.	Width.	Length.	Per Doz.	
	Inches.	Inches.	Ordinary.	Cast Steel Faced.
1	5½	12	36/-	44/-
2	6½	13	38/-	46/-
3	6½	14	40/-	48/-

Four-Rivet Straps ... 2/- per doz. extra.

Rivetted Eye Handles 2/- "

84

### CLAY SPADES.

#### Two-Rivet Straps.

Size No.	Top.	Bottom.	Length.	Per Doz.	
	Inches.	Inches.	Inches.	Ordinary.	Cast Steel Faced.
00	4½	5½	12	30/-	38/-
0	5½	6	12½	31/-	39/-
1	5½	6½	13	32/-	40/-
2	6½	7	13½	34/-	42/-

Three-Rivet Straps ... 2/- per doz. extra.

Rivetted Eye Handles 2/- "

81 &amp; 82

### DRAINING SCOOPS.

Width.	Per Doz.	
Inches.	No. 81 To Pull.	No. 82 To Push.
2½	42/-	42/-
3	44/-	44/-
3½	46/-	46/-

83

### HEREFORD MUD SCOOPS.

Width.	Per Doz.	
Inches.	Handled.	Not Handled.
5	23/-	13/-
6	24/-	14/-
7	26/-	16/-
8	28/-	18/-

580

### FLY TOOLS.

4	4½	5	5½	6 in. wide.
48/-	49/-	50/-	52/-	54/- per doz.

581

### RABBETING SPADES.

#### Cast Steel Faced.

Double Strapped Sockets, Clasp'd Crutch Handles.

Top.	Bottom.	Length.	Per Doz.
Inches.	Inches.	Inches.	
6	5	13	56/-

Hook Handles same price.

All bright, 8/- per doz. extra.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



76



78



79



84



81




82



83



580



581

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.





## SECTION III.

---

### CAST STEEL FORKS.

---

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



Crutch.



Clasped  
Crutch.



Oval  
Crutch.



Eye.



Rivettted  
Eye.



Double  
Rivettted Eye.



Malleable  
Eye.



Long  
Knob.

REGISTERED



TRADE MARKS



## CAST STEEL DIGGING AND AGRICULTURAL FORKS.

### 500 ORDINARY CAST STEEL DIGGING FORKS. Black Square Prongs.

"THE RELIANCE" or "THE CHALLENGE" BRAND.

Prongs.	Width. Inches.	Length. Inches.	Per Doz.	
			CRUTCH HANDLES.	RIVETTED EYE HANDLES.
3	7½	13	23/6	25/-
4	8	13	23/6	25/-
5	8½	13	31/6	33/-

### 501 SUPERIOR CAST STEEL DIGGING FORKS. Black Square Prongs. "UNION JACK" BRAND.

3	7½ × 13	26/6 ... 28/-
4	8 × 13	28/6 ... 30/-
5	8½ × 13	37/- ... 38/6

### 87 NASH'S BEST CAST STEEL DIGGING FORKS. Black Square Prongs, Rivetted Eye Handles.

3	7½ × 13	33/-
4	8 × 13	35/-
5	8½ × 13	41/-
6	9 × 14	50/-

Extra strong, 5/- per doz. extra.

### 94 NASH'S EXTRA QUALITY CAST STEEL DIGGING FORKS. Square Prongs, Double Strapped Sockets, Rivetted Eye Handles.

		BLACK.	ALL BRIGHT OR BRIGHT AND BLUED.*
3	7½ × 13	37/-	47/-
4	8 × 13	40/-	50/-
5	8½ × 13	50/-	62/-
6	9 × 14	64/-	78/-

### 105 NASH'S BEST EXTRA QUALITY CAST STEEL DIGGING FORKS. Square and Oval Prongs, Double Strapped Sockets, Rivetted Eye Handles.

		ALL BRIGHT OR BRIGHT AND BLUED.*
3	7½ × 13	49/-
4	8 × 13	52/-
5	8½ × 13	64/-
6	9 × 14	80/-

### 620 CAST STEEL EXTRA STRONG NURSERY FORKS.

Black Square Prongs, Double Rivetted Eye  
Handles.

Prongs.	Width. Inches.	Length. Inches.	Per Doz.
3	7½	13	52/-
4	8	13	05/-

### 621 CAST STEEL EXTRA STRONG NURSERY FORKS.

**Treaded.**

Black Square Prongs, Double Rivetted Eye  
Handles.

3	7½ × 13	62/-
4	8 × 13	75/-

### 110 CAST STEEL BOYS' DIGGING FORKS. Square Prongs, Rivetted Eye Handles.

		BLACK.	BRIGHT AND BLUED.*
4	7 × 11	25/-	37/-
5	7½ × 12	33/-	45/-

### 622 CAST STEEL WINDOW FORKS OR MULE SPADES.

2	7 × 11	40/-
3	7½ × 12	48/-

### 85 CAST STEEL CLAY FORKS.



Black Square Prongs, flat points, Rivetted  
Eye Handles.

2	7 × 12½	33/-
---	---------	------

\* RED—Same price.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.

REGISTERED



TRADE MARKS



# CAST STEEL MANURE FORKS.

503

ORDINARY

CAST STEEL MANURE FORKS.

Black Square Prongs.

"THE RELIANCE" or "THE CHALLENGE" BRAND.

Prongs.	Width. Length. Inches.		Per Doz.	
			CRUTCH HANDLES.	RIVETTED EYE OR LONG HANDLES.
3	8	× 12½	23/6	25/-
4	8½	× 13	23/6	25/-
5	9	× 13	31/6	33/-

90

SUPERIOR

CAST STEEL MANURE FORKS.

Black Square Prongs.

"UNION JACK" BRAND.

3	8	× 12½	26/6	28/-
4	8½	× 13	28/6	30/-
5	9	× 13	37/-	38/6

504

NASH'S BEST

CAST STEEL MANURE FORKS.

Double Strapped Sockets. Black Square Prongs.

3	8	× 12½	35/6	37/-
4	8½	× 13	38/6	40/-
5	9	× 13	48/6	50/-
6	9½	× 13½	62/6	64/-

505

CAST STEEL SPREADING  
FORKS.

Long or Crutch Handles.

			BLACK SQUARE PRONGS.	BRIGHT AND BLUED* OVAL PRONGS.
3	7	× 11	24/-	33/-
4	7	× 11	25/-	31/-

122

CAST STEEL MANURE  
DRAGS.

Black Square Prongs. Handles any length to 6 ft.

Prongs.	Width. Length. Inches.		Per Doz.
3	8	× 12	33/-
4	8½	× 12	34/-

Longer Handles 2/- per foot per dozen extra.

506

CAST STEEL MANURE  
DRAGS.Bright and Blued\* Oval Prongs. Handles any  
length to 6 feet.

3	8	× 12	43/-
4	8½	× 12	44/-

Longer Handles 2/- per foot per dozen extra.

623

CAST STEEL  
AMERICAN PATTERN MANURE FORKS.

Strapped Ferrules.

Half Bright and Blued\* Oval Elastic Prongs.

			CRUTCH HANDLES.	RIVETTED EYE OR LONG HANDLES
4	8½	× 13	28/-	29/-
5	9	× 13	38/-	39/-

104

CAST STEEL  
ELASTIC PRONG MANURE FORKS.Bright and Blued\* Oval Prongs, Rivetted Eye,  
Iron Eye, Long or Crutch Handles.

3	8	× 12½	33/-
4	8½	× 13	34/-
5	9	× 13	44/-
6	9½	× 13½	56/-

624

CAST STEEL LONDON  
MANURE FORKS.



Black Round Prongs. Rivetted Eye Handles.

6	10	× 14	64/-
---	----	------	------

\* RED—Same price,



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



# CAST STEEL POTATO FORKS.

**625**

**ORDINARY**

**CAST STEEL POTATO FORKS.**

**Black Flat Prongs.**

**"THE RELIANCE" or "THE CHALLENGE" BRAND.**

Prongs.	Width. Inches.	Length. Inches.	Per Doz.	
			CRUTCH HANDLES.	RIVETTED EYE HANDLES.
3	7 $\frac{3}{4}$	× 12	28/6	... 30/-
4	8	× 12 $\frac{1}{2}$	28/6	... 30/-
5	8 $\frac{1}{2}$	× 13	38/6	... 40/-

**98**

**SUPERIOR**

**CAST STEEL POTATO FORKS.**

**Black Flat Prongs.**

**"UNION JACK" BRAND.**

3	7 $\frac{3}{4}$	× 12	32/6	... 34/-
4	8	× 12 $\frac{1}{2}$	33/6	... 35/-
5	8 $\frac{1}{2}$	× 13	43/6	... 45/-

**626**

**NASH'S BEST**

**CAST STEEL POTATO FORKS.**

**Black Flat Prongs, Double Strapped Sockets.**

3	7 $\frac{3}{4}$	× 12	39/6	... 41/-
4	8	× 12 $\frac{1}{2}$	40/6	... 42/-
5	8 $\frac{1}{2}$	× 13	50/6	... 52/-

**99**

**CAST STEEL CHESHIRE POTATO  
FORKS.**

**Black Square Prongs, Crutch Handles.**

**"THE RELIANCE" or "THE CHALLENGE" BRAND.**

4	8	× 11 $\frac{1}{2}$	23/-
---	---	--------------------	------

**100**

**CAST STEEL DIAMOND BACK  
POTATO FORKS.**

**Bright Fronts.**

			Per Doz.		ALL BRIGHT AND BLUED* EXTRA.
			CRUTCH HANDLES.	RIVETTED EYE HANDLES.	
3	7 $\frac{3}{4}$	× 12	37/6	... 39/-	5/-
4	8	× 12 $\frac{1}{2}$	38/6	... 40/-	6/-
	9	× 13	42/6	... 44/-	7/-
5	8 $\frac{1}{2}$	× 13	48/6	... 50/-	8/-

**Double Strapped Sockets, 10/- per doz. extra.**

**627**

**CAST STEEL JERSEY POTATO  
FORKS.**

**Bright and Blued\* Oval Prongs.**

**34in. Iron Eye Handles.**

Prongs.	Top.	Bottom.	Length.	Per Doz.
	Inches.			
5	8 $\frac{1}{4}$	× 8 $\frac{3}{4}$	× 13 $\frac{1}{2}$	44/-

**628**

**CAST STEEL WELSH POTATO  
FORKS.**

3	5	× 9	32/-
4	6	× 9	40/-

**629**


**CAST STEEL POTATO LOADING  
FORKS.**

10	12 $\frac{1}{2}$	× 14 $\frac{1}{2}$	112/-
----	------------------	--------------------	-------

\* RED—Same price.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING



## CAST STEEL MALTING, HOP, ASPARAGUS FORKS, &C.

92

### CAST STEEL MALTING FORKS.

Prongs.		Black Flat Prongs.				Per dozen.
		Width.	Length.	Inches.		
5	...	11	×	14	...	78/-
6	...	11½	×	14	...	92/-
7	...	12	×	14	...	106/-
8	...	12	×	15	...	120/-
9	..	12½	×	15	..	134/-

108

### CAST STEEL FARNHAM HOP FORKS.

Prongs.		Width. Length.				Per dozen.
		Width.	Length.	Inches.		
3	...	8½	×	14	...	57/-
4	...	9	×	14½	...	60/-

117

### CAST STEEL ASPARAGUS FORKS.

Prongs.		Width. Length.				Per dozen.
		Width.	Length.	Inches.		
4	...	9	×	14	...	48/-

Double Strapped Sockets 10/- per doz. extra.

123

### POTATO STRAINERS.

9 Bars.

13 × 13	14 × 14	15 × 15 inches.
48/-	49/-	50/- per dozen.

### POTATO SCOOPS.

No.		Width. Length.			BLACK.	Per doz.	GALVANIZED.
		Width.	Length.	Inches.			
125	...	14	×	15	60/-	...	72/-
126	...	14	×	15½	60/-	...	72/-



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



## CAST STEEL ROOT, BARK, BARLEY, & CHAVING FORKS.

**630**

### CAST STEEL ROOT FORKS.

Prongs.		Width.	Length.		Per Doz.	
					BLACK SQUARE PRONGS.	BLACK ROUND PRONGS.
5	...	12½	× 16	...	54/-	60/-
6	...	13	× 16	...	63/-	74/-
7	...	13½	× 16	...	72/-	88/-

**631**

### CAST STEEL BARK OR TAN FORKS.

Round Prongs, well dishd.

Prongs.		Width.	Length.		Per Doz.	
					BLACK.	HALF BRIGHT AND BLUE OR RED.
7	...	12	× 14	...	100/-	112/-
8	...	12	× 14	...	112/-	126/-
9	...	12	× 14	...	124/-	140/-

**632**

### CAST STEEL BARLEY COCKING FORKS.

Bright Oval Prongs.

Prongs.		Width.	Length.			Per Doz.
3	...	13	× 18	...		66/-
4	...	15	× 18	...		78/-

**633**

### CAST STEEL BARLEY COCKING FORKS.

Black Square Prongs.

Prongs.		Width.	Length.			Per Doz.
3	...	15	× 22	...		52/-
4	...	15	× 22	...		56/-

**634**

### CAST STEEL CHAVING FORKS.

Prongs.		Width.	Length.			Per Doz.
4	...	15	× 22	...		66/-



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE

632

630

634

633

631

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.

REGISTERED



TRADE MARKS



## CAST STEEL HAY & STABLE FORKS.

158

Cast Steel STRAPPED Hay Forks, Oval Prongs, Bright and Blued.

No. 0	1	2	3	4
Handles. Prongs.	Handles. Prongs.	Handles. Prongs.	Handles. Prongs.	Handles. Prongs.
4 ft. × 9 in.	4 ft. × 10 in.	4½ ft. × 11 in.	5 ft. × 12 in.	5½ ft. × 13 in.
18/-	18/6	19/-	20/-	21/- per doz.

3 Prongs, 10/- per doz. extra; Black Prongs, 3/- per doz. less.

147. BEST QUALITY.

Cast Steel STRAPPED Hay Forks, Oval Prongs, all Bright. Selected Handles.

21/-	21/6	22/-	23/-	24/- per doz.
------	------	------	------	---------------

3 Prongs, 10/- per doz. extra.

152B

Cast Steel CAPPED FERRULE Hay Forks, Oval Prongs, Bright and Blued.

17/-	17/6	18/-	19/-	20/- per doz.
------	------	------	------	---------------

All Bright, 3/- per doz. extra; Black Prongs, 3/- per doz. less.

149B

Cast Steel Strapped Unloading Forks, Oval Prongs, Bright and Blued.

No. 0	1	2	3
5½	6	6½	7 ft. Handles × 14 in. Prongs.
31/-	33/-	35/-	37/- per doz.

3 Prongs, 15/- per doz. extra; Black Prongs, 3/- per doz. less.

No. 149. BEST QUALITY.

Cast Steel Strapped Unloading Forks, Oval Prongs, all Bright. Selected Handles.

34/-	36/-	38/-	40/- per doz.
------	------	------	---------------

3 Prongs 15/- per doz. extra.

No. 150B.

Cast Steel Strapped Pitching Forks, Oval Prongs, Bright and Blued.

No. 1	2	3
Handles. Prongs.	Handles. Prongs.	Handles. Prongs.
6 ft. × 15 in.	7 ft. × 16 in.	8 ft. × 17 in.
33/-	41/-	43/- per doz.

3 Prongs, 15/- per doz. extra; Black Prongs, 3/- per doz. less.

150. BEST QUALITY.

Cast Steel Strapped Pitching Forks, Oval Prongs, all Bright. Selected Handles.

41/-	44/-	46/- per doz.
------	------	---------------

3 Prongs, 15/- per doz. extra.

## STABLE FORKS.

4 ft. Handles. Round Prongs, 5 in. × 10 in.

No.		Per doz.
159A	Bright Cast Steel Prongs, Brass Ferrules and Rings, Polished Handles	40/-
159B	" " " " Bright Steel Ferrules, Plain Handles	23/6
159C	Black Steel Prongs " " " " "	18/-



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




158



152 B



149 B



149 B

Bright and Blued Prongs. Black Prongs.



159 A



150

3-Prong




## CAST STEEL STONE, ORE, COAL, COKE, & QUARTZ FORKS.

118				119			
CAST STEEL STONE OR IRON ORE FORKS.				CAST STEEL COKE FORKS.			
Black Square Prongs.				Black Square Prongs.			
Prongs.	Width. Inches.	Length.	Per Doz.	Prongs.	Width. Inches.	Length.	Per Doz.
6	10½	× 15	68/-	10	15	× 18	120/-
7	11	× 16	80/-	11	16	× 18	132/-
8	11½	× 16	92/-	12	16½	× 18	144/-
9	12	× 16	104/-	14	17	× 18	168/-
				16	18	× 18	192/-
				Sides turned up, 4/- per dozen extra.			
120				121			
CAST STEEL COAL FORKS.				CAST STEEL COKE FORKS.			
Black Square Prongs.				Diamond Prongs.			
Prongs.	Width. Inches.	Length.	Per Doz.	Prongs.	Width. Inches.	Length.	Per Doz. BLACK. BRIGHT.
7	11	× 15	84/-	10	15	× 18	130/- ... 144/-
8	12	× 16	96/-	12	16½	× 18	156/- ... 168/-
9	14	× 17	108/-	14	17	× 18	182/- ... 192/-
10	16	× 17	120/-	16	18	× 19	208/- ... 228/-
635							
CAST STEEL QUARTZ OR PEBBLE FORKS.							
Diamond Prongs.							
Prongs.	Width. Inches.	Length.	Per Doz.	BLACK.	Per Doz.	BRIGHT.	
8	11½	× 15		110/-	...	124/-	
10	12½	× 16		130/-	...	144/-	
12	13	× 16		156/-	...	168/-	
14	13½	× 16		182/-	...	192/-	

Forks made any size to order.




ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





## HANDLES.



### CRUTCH HANDLES.

Per doz.				Per doz.			
Straight Crutch Handles	...	...	7/-	Bent Crutch Handles	...	...	7/6
Clasped Crutch Handles, 2/- per dozen extra.							

### EYE HANDLES.

Straight Wood Eye Handles	...	10/-	Straight Malleable Iron Eye Handles	...	11/-
Bent " " "	...	10/6	Bent " " "	...	11/6

Rivetted Eyes, 2/- per dozen extra.

Double Rivetted Eyes, 4/- per dozen extra.

Malleable Iron Eyes only, 6/- per dozen.

In ordering, state for what description of Spades, Shovels, or Forks the Handles are required.

	4	4½	5	5½	6	7	8 feet.
Ash Hay Fork Handles	...	...	...	5/-	5/6	6/-	6/6 7/6 9/- 11/- doz.
						36	39 42 inch.
Hickory Pick Handles	...	...	...	...	...	12/-	14/- 16/- doz.
Hickory Sledge Hammer Handles	...	...	...	...	...	11/6	— —
				12	14	16	18 20 inch.
Hand Hammer Handles	...	...	...	4/9	5/-	5/6	6/- 7/- doz.
				14	15	16	17 18 20 22 24 inch.
Hickory Hatchet Handles	...	...	...	5/6	5/9	6/-	6/3 6/6 7/- — — doz.
Hickory Axe Handles	...	...	...	—	—	6/3	— 6/9 7/6 8/- 8.6 "



## SECTION IV.



## **FIELD AND GARDEN TOOLS.**



## GARDEN TOOLS.

### BORDER AND BOYS' FORKS.

#### 113 CAST STEEL BORDER FORKS.

Black Flat Prongs, Rivetted Eye Handles.

Prongs.	Inches.	Per Doz.
3	5½ × 9	24/-
4	5½ × 9	25/-
5	6 × 9	33/-

#### 115 CAST STEEL BORDER FORKS.

Black Square Prongs, Rivetted Eye Handles.

Prongs.	Inches.	Per Doz.
3	5½ × 9	24/-
4	5½ × 9	25/-
5	6 × 9	33/-

#### 502 CAST STEEL LADIES' AND GENTLEMEN'S BORDER FORKS.

Bright and Blued Oval Prongs, Rivetted Eye Handles.

Prongs.	Inches.	Per Doz.
3	5½ × 9	34/-
4	5½ × 9	35/-
5	6 × 9	43/-

Polished Handles, 6/- doz. extra.

#### 110 CAST STEEL BOYS' DIGGING FORKS.

Square Prongs, Rivetted Eye Handles.

Prongs.	Inches.	Per Doz.	Bright and Blued.
4	7 × 11	25/-	37/-
5	7½ × 12	33/-	45/-

### BOYS' AND LADIES' SPADES.

#### 15 BOYS' SPADES.

Size No.	Width. Inches.	Length.	Per Doz.
1	5½ × 9		26/-
2	6 × 9½		28/-
3	6½ × 10		30/-
4	7 × 10½		32/-

#### 32 LADIES' AND GENTLEMEN'S CHESHIRE LANGET SPADES.

Bright and Blued.

Size No.	Width. Inches.	Length.	Per Doz.
1	5½ × 9		36/-
2	6 × 9½		37/-
3	6½ × 10		38/-
4	7 × 10½		40/-

Polished Handles, 6/- doz. extra.

<b>508</b>	Ladies' Dibbers, Bright and Blued, Polished Handles	...	...	15/6	per doz.
<b>509</b>	Bean Dibbers	...	...	12/6	"
<b>670</b>	Japanned Wrought Garden Reels, flat	...	Size No. 1	13/6	2 14/6 3 15/6 "
			Assorted sizes,	14/6	
<b>671</b>	" " " " triangular	...	17/6	18/-	20/- "
			Assorted sizes,	18/6	
<b>672</b>	Bright and Blued Weed Forks, 15 in. Polished Handles	...	...	9/-	"
<b>673</b>	" " Daisy Grubbers	...	...	16/-	"
<b>674</b>	" " Fern Trowels, with leather sheaths	...	...	13/-	"
	" " " " without sheaths	...	...	5/6	"
<b>675</b>	Best all Bright Fern Trowels, Rosewood Scale Handles, with leather sheaths	...	...	30/-	"
<b>511</b>	Solid End Garden Rakes	...	6 8 10 12 14	16 teeth.	
<b>512</b>	Blued Garden Trowels	...	3/6 4/6 5/6 6/6 7/6	9/-	per doz.
<b>512F</b>	" " Forks } to match	...	...	3/3	"
<b>513</b>	Best Bright and Red Garden Trowels } to match	...	...	3/-	"
<b>514</b>	" " Weeding Forks } to match	...	...	7/6	"
<b>515</b>	Bright and Blued Garden Trowels } to match	...	...	9/-	"
<b>516</b>	" " Weeding Forks } to match	...	...	4/6	"
			...	4/6	"



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



113



115



502



110



15



32



508



509



670



671



672



673



674



675



511



512



513



515



512F



514



516

To match.

To match.

To match.



## FIELD AND GARDEN TOOLS.


[illegible]



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




662




663



664



665



666



667



668



669



670 H



75




## WARRANTED GARDEN SHEARS.

No.												No. 1	2	3		
<b>351</b>	Sliding Pruning	...	...	..	...	6/6		8/6		11/-	per pair.					
<b>352</b>	Branch or Lopping	...	...	...	...	7/-		8/-		9/-	"					
<b>352 L</b>	Ladies' Pruning Shears, with Brass Hoops					5/-		5/6		6/-	"					
<b>353</b>	Garden Shears, with Bright Hoops	...	...	...	...	7½	8	8½	9	9½	10	10½	11	11½	12 inches.	
		...	...	...	...	3/2	3/3	3/6	4/-	4/6	4/9	5/-	5/6	6/3	7/3 per pair.	
<b>355</b>	Garden Shears, with Pruning Notch	...	...	...	...	3/8	3/9	4/-	4/6	5/-	5/3	5/6	6/-	6/9	7/9	"
<b>354</b>	Ladies' Garden Shears, with Brass Hoops						No. 1		2		3					
							...	3/3		3/6		4/-	per pair.			
<b>356</b>	Border or Grass Shears, with Bright Hoops	...	...	...	...	...	5-	5/6	6/-	6/6	7/-	7/6	8/-	per pair.		
<b>358</b>	Border or Grass Shears, with Wheel	...	...	...	...	6/-	6/6	7/-	7/6	8/-	8/6	9/-	"			
<b>359</b>	Lawn Shears (without wheels)	...	...	...	...	5/-	5/6	6/-	6/6	7/-	7/6	8/-	"			
<b>357</b>	" " with two Wheels	...	...	...	...	7/-	7/6	8/-	8/6	9/-	9/6	10/-	"			
<b>660</b>	Grass Shears, Straight	...	...	...	...	...	...	...	...	...	2/6	"				
<b>661</b>	" " Bent	...	...	...	...	...	...	...	...	...	2/9	"				

*All our Garden, Border, and Lawn Shears are fitted with nut and bolt joint and spring washer for keeping blades on cut.*



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





**FUSSELL'S  
MELLS**

## IMPROVED WARRANTED SOLID STEEL HOES.


FUSSELL'S No.		To	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18in.
1st Row Engrav- ings.	857 Square Garden Hoes ..	}	9/-	10/-	11/-	12/-	13/-	14/-	15/-	—	—	—	—	—	—	—	— doz.
	859 Half Moon ditto ..																
	867 Extra Deep Half Moon do.		11/-	12/-	13/-	14/-	15/-	16/-	17/-	—	—	—	—	—	—	—	"
	861 Shallow do. do		8/-	9/-	10/-	11/-	12/-	13/-	14/-	—	—	—	—	—	—	—	"
2nd Row Engrav- ings.	831 Long Neck Square Garden Hoes ..	}	9/6	11/-	12/6	14/-	16/-	18/-	20/-	—	—	—	—	—	—	—	"
	829 Long Neck Half Moon do.																
	814 Guildford Long Neck do.		—	8/9	10/-	11/3	12/9	14/6	16/-	—	—	—	—	—	—	—	"
	864 Buckland Eyed Hoes ..		8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	17/-	19/-	21/-	23/-	25/-	26/-	27/- "
3rd Row Engrav- ings.	817 Square Banbury Hoes ..	}	7/-	8/3	9/3	10/6	11/9	13/3	14/6	—	—	—	—	—	—	—	"
	819 Half Moon do.																
	872 Shrewsbury Hoes ..		8/9	10/-	10/6	11/6	12/6	14/-	—	—	—	—	—	—	—	—	"
	869 Buckland Stirt Hoes ..		8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	17/-	19/-	21/-	23/-	25/-	26/-	27/- "
	873 Hoe Sockets (all sizes) ..		9/-														"
	874 Hoe Ferrules do. ..		1/6														"
4th Row Engrav- ings.	875 Somerset Hoes ..		To	4	5	6	7	8	9	10	11	12	13	14	15	16	17 18 in.
	860 Cranked Stirt Half Moon Hoes ..		8/9	10/-	10/6	11/6	12/6	14/-	—	—	—	—	—	—	—	—	"
	852 Crue Tanged Turnip Hoes		8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	18/-	20/-	22/-	24/-	26/-	27/-	28/- "
	813 Triangular Hoes ..		8/9	10/3	11/8	13/-	15/-	16/9	19/-	—	—	—	—	—	—	—	"
5th Row Engrav- ings.	823 Square Crane-neck Hoes	}	7/9	8/9	10/-	11/3	12/9	14/6	16/-	—	—	—	—	—	—	—	"
	821 Half Moon do. do.																
	862 Swan Neck Turnip Hoes, Bright ..		10/6	11/6	12/6	13/6	14/6	15/6	16/6	18/6	—	—	—	—	—	—	"
	Do. do. Black ..		8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	—	—	—	—	—	—	"
	876 Sherborne Hoes ..		8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	—	—	—	—	—	—	"
	877 Norfolk Hoes ..		12/-	13/-	14/-	15/6	17/-	18/6	20/-	—	—	—	—	—	—	—	"
6th Row Engrav- ings.	878 Potton Hoes, Bright ..		12/6	13/6	14/6	15/6	16/6	17/6	—	—	—	—	—	—	—	—	"
	Do. Black ..		11/6	12/6	13/6	14/6	15/6	16/6	—	—	—	—	—	—	—	—	"
	835 Square Bury Hoes ..	}	8/9	10/3	11/8	13/-	15/-	16/9	19/-	—	—	—	—	—	—	—	"
	833 Half Moon do. ..																
	835 and 833, Bright ..		11/3	12/9	14/-	15/6	17/6	19/3	21/6	—	—	—	—	—	—	—	"




# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



857



859



867



861



831




829



814




864




817



819



872



869



873



875



860



852




813



823



821




862



876



877



878



835



833



**FUSSELL'S  
MELLS**

## IMPROVED WARRANTED SOLID STEEL HOES.

		FUSSELL'S No.																		
1st Row Engrav- ings.	{	854	Axe Eye Mattocks	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..		
		856	Round Eye "	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..		
		To 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18in.																		
		855	Hatchet Eye Hoes	..	..	10/-	12/-	14/-	16/-	17/-	18/-	19/-	20/-	22/-	23/-	24/-	26/-	28/-	29/- 30/- doz.	
2nd Row Engrav- ings.	{	879	Wiltshire Hoes	..	..	10/-	12/-	14/-	16/-	17/-	18/-	19/-	—	—	—	—	—	—		
		866	Potato Hoes	..	..	11/-	12/-	13/-	14/-	15/-	16/-	17/-	—	—	—	—	—	—	—	
		866H	Hatchet Eye Potato Hoes	..	..	12/-	13/-	14/-	15/-	16/-	17/-	18/-	—	—	—	—	—	—	—	
		880	Croydon Hoes	..	..	10/9	11/3	12/-	12/9	14/-	15/3	—	—	—	—	—	—	—	—	
		881	Devon Two-Bills or Grubbing Hoes	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
		882	Devon Mattocks	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
		883	Tonbridge Hoes	..	..	3 1/4 by 1 1/4	4 by 2	4 by 2 1/2	5 by 2 1/2	5 by 3 1/2	6 by 4 1/2 in.	..	..	..	..	..	..	..	..	
				..	..	24/-	26/-	28/-	30/-	32/-	34/- per doz.	..	..	..	..	..	..	..	..	
				..	..	2 1/2	3	3 1/2	4	4 1/2	5 in.	..	..	..	..	..	..	..	..	
3rd Row Engrav- ings.	{	884	Neath Mattocks	..	..	20/-	21/-	22/-	24/-	26/-	28/-	doz.	..	..	..	..	..	..		
		884S	" " Single	..	..	16/-	17/-	18/-	20/-	22/-	24/-	"	..	..	..	..	..	..		
		885	Canterbury Hoes, 2 prong	..	..	..	..	23/- doz.	..	..	..	..	..	..	..	..	..	..		
		886	" " 3 "	..	..	..	..	29/-	"	..	..	..	..	..	..	..	..	..		
				..	..	To 2	2 1/4	2 1/2	2 3/4	3	..	..	..	..	..	..	..	..		
		314	Solid Spuds or Paddles	6/6	7/6	8/-	8/6	9/6	"	..	..	..	..	..	..	..	..	..		
			Ditto Bright	10/6	11/6	12/-	12/6	13/6	"	..	..	..	..	..	..	..	..	..		
		315	Solid Weed Hooks	..	6/6	7/6	8/-	8/6	9/6	"	..	..	..	..	..	..	..	..		
		316	" " "	..	6/6	7/6	8/-	8/6	9/6	"	..	..	..	..	..	..	..	..		
				..	..	..	..	To 4	4 1/2	5	6 in.	..	..	..	..	..	..	..		
	887	Wheat or Onion Hoes, Hatchet Eye	..	..	10/-	10/6	11/-	12/-	"	..	..	..	..	..	..	..	..			
	888	" " " Round Eye																		
	889	" " " Straight Stirt			9/-	9/6	10/-	11/-	"	..	..	..	..	..	..	..	..			
	890	" " " Cranked Stirt																		
	850	" " " Handled	..	..	11/-	11/-	12/-	13/-	"	..	..	..	..	..	..	..	..			
	851	" " " " " "	..	..																
					To 3	4	5	6	7	8	9	10 in.	..	..	..	..	..			
	308	Dutch Hoes	..	..	8/-	9/6	11/-	12/6	14/-	16/-	18/-	20/-	"	..	..	..	..			
	891	Hoe Plates	..	..	3/9	3/9	4/3	4/9	6/-	7/3	8/6	9/9	"	..	..	..	..			
	892	Hoe Frames	..	..																
	893	" " " " " "			6/-	6/6	7/3	8/6	9/9	10/9	12/-	13/3	"	..	..	..	..			
	894	" " " " " "																		



# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



854



856



855



879



866



880



881



882



883



884



885



886



314



315



316



887



888



889



890




892



850



308



893



851



891



894



## BEST WARRANTED GARDEN TOOLS.

900

### SET OF LADIES' OR GENTLEMEN'S GARDEN TOOLS.

Highly Finished. Best Selected Polished Handles.

Containing—	Solid Cast Steel Spade.			
	"	"	"	Fork.
	"	"	"	Hoe.
	"	"	"	Rake.
	"	"	"	Trowel.
	"	"	"	Weeding Fork.

Per Set ... 15/- ... Per Set.

### GARDEN SHEARS.

Polished Handles.

		7½	8	8½	9	9½	10	10½	11	11½	12 inches.
353	Ordinary Pattern ...	3/2	3/3	3/6	4/-	4/6	4/9	5/-	5/6	6/3	7/3 per pair.
355	With Pruning Notch ...	3/8	3/9	4/-	4/6	5/-	5/3	5/6	6/-	6/9	7/9 "

471

### GARDENERS' HAMMERS.

Chequered Faces. Polished Handles.

Size No. 1	2	3
16/-	18/-	21/- per doz.




# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



14½ in.



12½ in.



30 in.

9 in.

5½ in.




30 in.


5½ in.

9 in.

6 in.



57 in.




353  
9 in.

9 in.

4 in.

10½ in.



471  
No 2 Size

4 in.

12½ in.

Set No 900.





## SECTION V.

---

### **EDGE TOOLS.**

---

#### SUB-SECTION A.

SCYTHES,  
HAY, TRUSSERS', PEAT, DROWNING, EDGING,  
RIVER, AND THATCHERS' KNIVES,  
REAPING, BAGGING, BRUSHING, GORSE,  
FURZE, &c. HOOKS.



# SCYTHES.

No.

**5 Best Crown London Grass Pattern.**

32	34	36	38	40	42	44	46	48	50	52	54	56	inches,
35/-	36/-	37/-	38/-	39/-	40/-	41/-	43/-	45/-	47/-	50/-	53/-	56/-	per dozen.

Double Refined Steel Scythes up to 42 in., 3/- per dozen extra.

" " " above 42 " 4/- " "

Jersey and Guernsey Patterns, 2/- per dozen extra.

### 11 Patent Rivetted Back Pattern.

32 34 36 38 40 42 44 46 48 50 52 54 56 inches.  
35/- 36/- 37/- 38/- 39/- 40/- 41/- 43/- 45/- 47/- 50/- 53/- 56/- per dozen.

Jersey and Guernsey patterns, 3/- per dozen extra.

				18	20	22	24	26	28	30 inches.	
<b>16</b>	<b>Best Crown Brier</b>	...	...	...	29/-	30/-	31/-	32/-	34/-	36/-	38/- per dozen.

		28	30	32	34	36 inches,
<b>17</b>	<b>Best Crown Bean or Vetch</b>	... 36/-	37/-	38/-	39/-	40/- per dozen.

English Scythe Sneads and Fittings, complete	.. ..	23/6 per doz.
--	-------	---------------

[illegible]

Hanging and Bedding	..	..	..	..	..	2/-	..	net extra.
---------------------	----	----	----	----	----	-----	----	------------

No. 5 F.

FUSSELL'S PATENT SELF-ADJUSTABLE LAWN SCYTHES  
AND SNEADS.

						36	42 in.
Scythes only	...	...	...	...	...	40/-	43/- per dozen.
Sneads	...	...	...	...	...	44/-	44/- "
Scythes and Sneads complete	...	...	...	...	...	84/-	87/- "

### ADVANTAGES.


Nothing complicated, so cannot get out of order. In use as rigid as an ordinary scythe, with the great advantage of adjustability. Readily adjusted to suit any style of mowing. By one movement the edge is lowered or raised, and by another movement the sweep of blade can be altered, bringing same to the desired distance in or out.







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



5 F  
Enlarged View of Back.

5 F





## SCYTHES.

No		Inches.	Per Doz.
1	Best Crown, Wool's Pattern	32	35/-
2	" " Wide Wools' Pattern	34	36/-
3	" " Somerset	36	37/-
4	" " Lincoln	38	38/-
6	" " Cheshire	40	39/-
7	" " North Welsh	42	40/-
8	" " All Back	44	41/-
9	" " South Welsh	46	43/-
10	" " Flat Back	48	45/-
		50	47/-
		52	50/-
		54	53/-
		56	56/-

Jersey and Guernsey Patterns, 2/- per dozen extra.

Double Refined Steel Scythes up to 42 in., 3/- per dozen extra.

" " " " above 42 in., 4/- " "

		40	42	44	46	48	50 inches.
12	Best Crown Devon or West Pattern	43/-	44/-	46/-	48/-	50/-	53/- per doz.
13 & 14	Best Crown Norfolk				38 & 39	40	42 inches.
					38/-	39/-	40/- per doz.
15	Best Crown Litter		24	26	28	30 inches.	
			28/-	30/-	32/-	34/- per doz.	

English Scythe Sneads and Fittings, complete .. .. 23/6 per doz.

American " " " " " " .. .. 22/- " "

Hanging and Bedding .. .. 2/- " net extra.

## RAG KNIVES.


CUT FROM SCYTHES.

		16	18	20	22	24 inches.
18		7/-	7/6	8/-	9/-	10/- per doz.





ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·





## BEST CROWN HAY AND DUNG KNIVES.

No. 1. "FUSSELL"		No. 2. "FUSSELL"		No. 3. "FUSSELL"		No. 4. "FUSSELL"	
Best Crown Side Handle Hay Knives.		Best Crown Cross Handle Hay Knives.		Best Crown Broad Heel Side Handle Hay Knives, Narrow Points.		Best Crown Broad Heel Cross Handle Hay Knives, Narrow Points.	
<i>In.</i>	<i>Per Doz.</i>	<i>In.</i>	<i>Per Doz.</i>	<i>In.</i>	<i>Per Doz.</i>	<i>In.</i>	<i>Per Doz.</i>
14	29/6	14	31/6	14	33/6	14	35/6
15	30/-	15	32/-	15	34/-	15	36/-
16	31/-	16	33/-	16	35/-	16	37/-
17	32/-	17	34/-	17	36/-	17	38/-
18	33/-	18	35/-	18	37/-	18	39/-
19	34/-	19	36/-	19	38/-	19	40/-
20	36/-	20	38/-	20	40/-	20	42/-
21	37/-	21	39/-	21	41/-	21	43/-
22	39/-	22	41/-	22	43/-	22	45/-
23	42/-	23	44/-	23	48/-	23	50/-
24	46/-	24	48/-	24	52/-	24	54/-
26	54/-	26	56/-	26	60/-	26	62/-
28	62/-	28	64/-	28	68/-	28	70/-
30	70/-	30	72/-	30	76/-	30	78/-
32	78/-	32	80/-	32	84/-	32	86/-

No. 5. "FUSSELL"		No. 6. "FUSSELL"		No. 27.		No. 28.	
Best Crown Cross Handle Dung Knives.		Best Crown Side Handle Dung Knives.		Best Crown Broad Heel Cross Handle Hay Knives.		Best Crown Broad Heel Side Handle Hay Knives.	
<i>In.</i>	<i>Per Doz.</i>	<i>In.</i>	<i>Per Doz.</i>	<i>In.</i>	<i>Per Doz.</i>	<i>In.</i>	<i>Per Doz.</i>
14	33/6	14	31/6	13	35/-	13	33/-
15	34/-	15	32/-	14	35/6	14	33/6
16	35/-	16	33/-	15	36/-	15	34/-
17	36/-	17	34/-	16	37/-	16	35/-
18	37/-	18	35/-	17	38/-	17	36/-
19	38/-	19	36/-	18	39/-	18	37/-
20	40/-	20	38/-	19	40/-	19	38/-
21	41/-	21	39/-	20	42/-	20	40/-
22	43/-	22	41/-	21	43/-	21	41/-
23	47/-	23	45/-	22	45/-	22	43/-
24	51/-	24	49/-	23	50/-	23	48/-
26	59/-	26	57/-	24	54/-	24	52/-
28	67/-	28	65/-	26	62/-	26	60/-
30	75/-	30	73/-	28	70/-	28	68/-
32	83/-	32	81/-	30	78/-	30	76/-
				32	86/-	32	84/-

EXTRA LONG TANGS CHARGED EXTRA AS FOLLOWS:

9 to 12 in.

4/6

13 to 16 in.

6/3

17 to 20 in. Tangs.

9/6

Per Dozen extra.



FUSSELL MELLIS    JAS FUSSELL MELLIS    JAS. FUSSELL MELLIS & WOOD


COPYRIGHT.

ENTD AT STATIONERS' HALL.







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's patterns,  
marked FUSSELL.





## BEST CROWN HAY KNIVES.

Nos. 19, 21, 23. Best Crown Cross Handle Hay Knives.			Nos. 20, 22, 24. Best Crown Side Handle Hay Knives.			No. 26 and No. 8, "FUSSELL." Best Crown Middle Width Side Handle Hay Knives.			No. 25 and No. 7, "FUSSELL." Best Crown Middle Width Cross Handle Hay Knives.		
In.	Per Doz.		In.	Per Doz.		In.	Per Doz.		In.	Per Doz.	
13	...	31/-	13	...	29/-	13	...	31/-	13	...	33/-
14	...	31/6	14	...	29/6	14	...	31/6	14	...	33/6
15	...	32/-	15	...	30/-	15	...	32/-	15	...	34/-
16	...	33/-	16	...	31/-	16	...	33/-	16	...	35/-
17	...	34/-	17	...	32/-	17	...	34/-	17	...	36/-
18	...	35/-	18	...	33/-	18	...	35/-	18	...	37/-
19	...	36/-	19	...	34/-	19	...	36/-	19	...	38/-
20	...	38/-	20	...	36/-	20	...	38/-	20	...	40/-
21	...	39/-	21	...	37/-	21	...	39/-	21	...	41/-
22	...	41/-	22	...	39/-	22	...	41/-	22	...	43/-
23	...	44/-	23	...	42/-	23	...	45/-	23	...	47/-
24	...	48/-	24	...	46/-	24	...	49/-	24	...	51/-
26	...	56/-	26	...	54/-	26	...	57/-	26	...	59/-
28	...	64/-	28	...	62/-	28	...	65/-	28	...	67/-
30	...	72/-	30	...	70/-	30	...	73/-	30	...	75/-
32	...	80/-	32	...	78/-	32	...	81/-	32	...	83/-
34	...	92/-	34	...	90/-						
36	...	104/-	36	...	102/-						

EXTRA LONG TANGS CHARGED EXTRA AS FOLLOWS:

9 to 12in.  
4/6

13 to 16in.  
6/3

17 to 20in. Tangs.  
9/6


Per Dozen extra.








ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussells' Patterns, marked FUSSELL.





## BEST CROWN HAY AND TRUSSERS' KNIVES.

No. 9. "FUSSELL"			No. 10. "FUSSELL."			No. 29 and No. 13, "FUSSELL."		
Best Crown Broad Heel Cross Handle Hay Knives, Cross Points.			Best Crown Broad Heel Side Handle Hay Knives, Cross Points.			Best Crown Socket Hay Knives.		
<i>In.</i>		<i>Per Doz.</i>	<i>In.</i>		<i>Per Doz.</i>	<i>In.</i>		
14	...	35/6	14	...	33/6	13	...	} per lb.
15	...	36/-	15	...	34/-	14	...	
16	...	37/-	16	...	35/-	15	...	
17	...	38/-	17	...	36/-	16	...	
18	...	39/-	18	...	37/-	17	...	
19	...	40/-	19	...	38/-	18	...	
20	...	42/-	20	...	40/-	19	...	
21	...	43/-	21	...	41/-	20	...	
22	...	45/-	22	...	43/-	21	...	
23	...	50/-	23	...	48/-	22	...	
24	...	54/-	24	...	52/-	23	...	
26	...	62/-	26	...	60/-	24	...	
28	...	70/-	28	...	68/-	26	...	
30	...	78/-	30	...	76/-	28	...	
32	...	86/-	32	...	84/-	30	...	
						32	...	

No. 30 and No. 11, "FUSSELL."			No. 31 and No. 12, "FUSSELL."			No. 38.			No. 39.		
Best Crown Cross Handle Trussers' Knives.			Best Crown Side Handle Trussers' Knives.			Best Crown Broad Heel Side Handle Hay Knives, without Rib on back.			Extra Wide and Strong Best Crown Broad Heel Cross Handle Hay Knives.		
<i>In.</i>		<i>Per Doz.</i>	<i>In.</i>		<i>Per Doz.</i>	<i>In.</i>		<i>Per Doz.</i>	<i>In.</i>		<i>Per Doz.</i>
24	...	70/-	24	...	66/-	14	...	33/6	14	...	37/6
25	...	76/-	25	...	72/-	16	...	35/-	16	...	39/-
26	...	82/-	26	...	78/-	17	...	36/-	18	...	41/-
27	...	90/-	27	...	86/-	18	...	37/-	20	...	44/-
28	...	98/-	28	...	94/-	19	...	38/-	22	...	47/-
29	...	106/-	29	...	102/-	20	...	40/-	24	...	56/-
30	...	114/-	30	...	110/-	21	...	41/-	26	...	64/-
31	...	122/-	31	...	118/-	22	...	43/-	28	...	72/-
32	...	130/-	32	...	126/-	23	...	48/-	30	...	80/-
33	...	140/-	33	...	136/-	24	...	52/-	32	...	88/-
34	...	154/-	34	...	150/-	26	...	60/-	Side Handles, 2 - less.		
36	...	184/-	36	...	180/-	28	...	68/-			
						30	...	76/-			
						32	...	84/-			
						Cross Handles 2 - extra.					

EXTRA LONG TANGS CHARGED EXTRA AS FOLLOWS:

9 to 12 in.

4/6

13 to 16 in.

6/3

17 to 20 in.

9/6


Per Dozen extra.

FUSSELL MELL'S    JAS FUSSELL MELL'S    JAS. FUSSELL MELL'S & WOOD







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·




9 F




10 F




29  
13 F




30  
11 F



31  
12 F



38



39

Numbers with F attached are Fussell's Patterns,  
marked FUSSELL.





## BEST CROWN PEAT, DROWNING, EDGING, RIVER, AND THATCHERS' KNIVES.

No. 14. Strong Best Crown Side Handle Peat Knives.		No. 15. Strong Best Crown Cross Handle Peat Knives.	
In.	Per Doz.	In.	Per Doz.
13	29/-	13	31/-
14	29/6	14	31/6
15	30/-	15	32/-
16	31/-	16	33/-
17	32/-	17	34/-
18	33/-	18	35/-
19	34/-	19	36/-
20	36/-	20	38/-
21	37/-	21	39/-
22	39/-	22	41/-
23	42/-	23	44/-
24	46/-	24	48/-
26	54/-	26	56/-
28	62/-	28	64/-
30	70/-	30	72/-
32	78/-	32	80/-
34	90/-	34	92/-
36	102/-	36	104/-

Extra Long Tangs charged extra  
as follows:

9 to 12 in.	13 to 16 in.	17 to 20 in. Tangs
4/6	6/3	9/6
<i>Per Dozen extra.</i>		

### No. 16

BEST CROWN TREADED SOCKET  
DITCHING OR DROWNING KNIVES.

*Prices quoted on application.*

### No. 17

BEST CROWN EDGING KNIVES.

48/- per dozen.

### No. 18

BEST CROWN RIVER KNIVES.

30 in. ... 38/- per dozen.

### Nos. 32, 33

BEST CROWN THATCHERS' KNIVES.

24	26	28	30	32	34 in.
35/-	36/-	37/-	38/-	39/-	40/- per doz.

### No. 34. BEST CROWN CHAFF KNIVES. STRAIGHT HANDLE.

20	22	24	26	28 in.
40/-	42/-	44/-	46/-	48/- per doz.

### No. 35. BEST CROWN CHAFF KNIVES. CROSS HANDLE.

20	22	24	26	28 in.
42/-	44/-	46/-	48/-	50/- per doz.


### No. 36, 37. BEST CROWN THATCHERS' KNIVES.

Prices as Nos. 32, 33.

FUSSELL JAS FUSSELL  
MELLS MELLS JAS. FUSSELL MELLS WOOD



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





## REAPING HOOKS.

NASH'S FUSSELL'S  
No. No.

**37** — Bright Pipe Hook ... .. 19/6 per doz.

**38** — Half-Bright Pipe Hook, ferruled handle ... .. 19/6 "

No. 00 0 1 2 3 4 5 6

**39** **26** Pembroke Reaping Hook 13/- 14/- 15/- 16/- 17/- 19/- 21/3 23/9 "

**40** — Carnarvon Grass, broad  
point ... .. 15/- 16/- 17/- — — — "

(Narrow Point Pattern, see No. 53.)

**42** **16** Bristol Reaping Hook ... }  
— **17** Fussells' Pattern Bright } 13/- 14/- 15/- 16/- 17/- 19/- 21/3 23/9 "  
Bristol Reaping Hook }

**53** — Carnarvon Grass, narrow  
point ... .. 15/- 16/- 17/- — — — "

(Broad Point Pattern, see No. 40.)

**83** — South Welsh Reaping  
Hook ... .. 16/- 17/- 18/- — — — "

**84** — Llanelly Reaping Hook — — 15/- 16/- 17/- — — — "







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns,  
marked FUSSELL,





## REAPING HOOKS.

NASH'S  
No.

FUSSELL'S  
No.

No. 0 1 2 3

**85** — Hampshire Reaping Hook ... — 14/- 15/- 16/6 per doz.

**87** — Leek Reaping Hook ... 18/- 19/3 20/6 22/- "

No. 00 0 1 2 3 4 5 6

— **14** White Sickle or London Reaping ... } 13/- 14/- 15/- 16/- 17/- 19/- 21/3 23/9 "

— **18** Black Sickle ... }

— **19** Mint or Lavender Sickle — 12/6 — — — — — "

**121** — Fen Reaping Hook ... — — 15/- 16/- 17/- — — — "

**122** — Caergwrlle Reaping, narrow point ... 20/- "

**123** — Ditto ditto broad point ... 20/6 "

Ferruled Handles, -/6 per doz. extra.

No. 0 1 2 3 4 5

**124** — Manx Reaping Hook 9/6 10/6 11/6 13/- 14/6 16/- "


**125** — Manx Furze Hook ... 12/- 13/- 14/6 15/9 16/3 18/9 "







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's  
Patterns, marked FUSSELL.





## BAGGING HOOKS.

NASH'S FUSSELL'S  
No. No.

		No. 00	0	1	2	3	4	5	6	7	
—	2	Open Pattern Cranked Fagging Hook, short round handle	14/3	15/3	16/10	18/4	20/6	23/-	25/9	28/9	32/6 per doz.
—	3	Open Pattern Straight Fagging Hook, long round handle	14/-	15/-	16/6	18/-	20/-	22/6	25/-	28/-	31/6 "
		Caulked Handles	-/6 per dozen extra.								
—	9	Open Pattern Straight Fagging Hook, short round handle	14/-	15/-	16/6	18/-	20/-	22/6	25/-	28/-	31/6 "
35	4	Crooked Pattern Cranked Fagging Hook, caulked h'dle	14/9	15/9	17/4	18/10	21/-	23/6	26/3	29/3	33/- "
80	5	Crooked Pattern Cranked Fagging Hook, short round handle	14/3	15/3	16/10	18/4	20/6	23/-	25/9	28/9	32/6 "
36	6	Crooked Pattern Straight Fagging Hook, short round handle	14/-	15/-	16/6	18/-	20/-	22/6	25/-	28/-	31/6 "

Description of points, square or round, should be mentioned in ordering Bagging Hooks.

			16	17	18	19	20	21 inch.	
41	—	West of England Hewing Hook	22/6	24/-	25/6	27/-	28/6	30/- per doz.	
						16	17	18 inch.	
43	—	Crooked Pattern Andre Bagging Hook	...	24/-	24/-	25/-	per doz.		
			No. 1	2	3	4	5	6	7
44	—	Shropshire Reaping Hook	20/-	21/-	22/-	23/-	24/-	—	— per doz.
45	7	Hereford Bright Bagging or Hook and Crook Hook, plain ... ..	16/6	18/-	20/-	22/6	25/-	28/-	31/6 "
"	"	Hereford Bright Bagging or Hook and Crook Hook, cranked ... ..	16/10	18/4	20/6	23/-	25/9	28/9	32/6 "


Ferruled Handles -/6 per dozen extra.

			19	20	21	22 inch.
46	8	Hereford or Andre Bagging Hook	25/-	26/-	26/9	27/6 per doz.





ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns, marked FUSSELL.





## BAGGING HOOKS.

NASH'S No. FUSSELL'S No.

			No. 1	2	3	4	5
81	—	Buckingham Reaping Hook	16/10	18/4	20/6	23/-	25/9 per doz.

82	—	Oxford	"	"	17/-	18/6	20/6	23/-	—	"
----	---	--------	---	---	------	------	------	------	---	---

86	—	Aberystwith	"	"	...	...	14	15	16 inch.
							19/-	19/6	20/- per doz.

				No. 4	5	6	7			
98	—	Warwickshire	"	"	...	23/-	25/9	28/9	32/6	"

			No. 1	2	3	4	5		
—	28	Sherborne Bean Hook	...	18/-	19/6	21/-	22/6	25/-	"

			No. 2	3	4	5	6	7	8		
—	35	Bristol Hewing Hook,	}	18/6	21/-	23/6	26/3	29/3	33/-	36/6	"
		Cranked, caulked handle									

—	36	Bristol Hewing Hook,	}	18/-	20/6	23/-	25/6	28/6	32/-	35/6	"
		caulked handle									

—	37	Bristol Hewing Hook,	}	18/-	20/6	23/-	25/6	28/6	32/-	35/6	"
		Cranked, plain round									
		handle									


—	38	Bristol Half-Hewing Hook,	}	18/-	20/6	23/-	25/6	28/6	32/-	35/6	"
		Cranked, half-caulked									
		handle									







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns, marked FUSSELL.





## SOCKET BRUSHING HOOKS.


NASH'S No. FUSSELL'S No.

			No. 1	2	3
47	—	Hereford Pattern ...	14	16	18 inches.
48	—	General Pattern ...			
49	—	Slightly Curved Pattern ...	22/6	25/-	27/6 per doz.
50	—	Half Moon Pattern ...			
51	24	Briar or Gorse Hook ...			
89	—	Suffolk Pattern ...	27/6	30/-	32/6 "
90	—	Straight " ...	22/6	25/-	27/6 "
91	—	Norfolk " ...			
126	—	Pea Bill Hook ...			22/6 "
127	—	Hop Hook, hook on back ...			24/- "




FUSSELL MELL'S JAS FUSSELL MELL'S JAS. FUSSELL MELL'S WOOD





Numbers with F attached are Fussells' Patterns, marked FUSSELL.





## SOCKET BRUSHING HOOKS.

FUSSELL'S SPECIAL PATTERNS.

FUSSELL'S  
No.

No. 0 1 2 3 4 5

<b>13</b>	Isle of Wight Bean Hook	...	}				
<b>22</b>	Kent Brushing Hook	...					
<b>23</b>	Hereford Bean Hook	...					
<b>31</b>	Staff Hook	...	...	...	20/-	21/3	22/6 25/- 27/6 30/- "
<b>40</b>	Pea Hook	...	...	...	...	...	12 inch. 24/9 per doz.
<b>43</b>	Kent, Solid Socket	..	...	10	12	14	16 18 inch.
<b>44</b>	Suffolk Pattern, Solid Socket	...	}				
<b>45</b>	Hereford Bean, Solid Socket	...					
<b>46</b>	Hereford Bean, Solid Socket, with hook on back	...	...	...	29/-	30/3	31/6 34/- 36/6 "



FUSSELL MELL'S JAS FUSSELL MELL'S JAS. FUSSELL MELL'S WOOD


COPYRIGHT.

ENTD AT STATIONERS' HALL.





Numbers with F attached are Fussells' Patterns,  
marked FUSSELL.






## GORSE AND FURZE HOOKS.

NASH'S No.	FUSSELL'S No.				No. 1	2	3	
52	29	Bright Carnarvon Gorse ...	...	...	19/-	20/-	21/-	per doz.
		(Half Bright Pattern, see No. 92.)						
54	—	Irish Furze ...	...	...	20/-	21/-	22/-	"
55	41	Cornish Furze ...	...	...	...	...	26/-	"
56	20	Welsh Furze ...	...	...	18/-	19/-	20/-	"
58	—	Anglesea Gorse ...	...	...				
92	—	Half Bright Carnarvon Gorse ...	...	...				
		(Bright Pattern, see No. 52.)						
95	—	Callington Gorse ...	...	...	...	...	22/6	"
—	25	Welsh Briar ...	...	...	16/6	17/6	—	"
—	39	West Country Bramble ..	...	...	20/-	22/-	24/-	"
					No. 1	2	3	4
128	—	Dorset Furze ...	...	...	20/-	22/-	24/-	26/-
129	—	Southampton Furze ...	...	...				
130	—	Aberayron Gorse ..	...	...	18/-	19/-	—	"





ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussells' Patterns,  
marked FUSSELL.





## TANGED BRUSHING HOOKS.

NASH'S  
No. FUSSELL'S  
No.

**57** — Caergwrle Pattern Brushing ... 22/6 per doz.

				No. 1	2	3	
<b>59</b>	—	Llanrwst	"	...	19/-	20/-	— "

<b>60</b>	—	Half Moon Pattern	...	22/6	25/-	26/6	"
-----------	---	-------------------	-----	------	------	------	---

<b>61</b>	—	General Pattern	...	22/6	24/-	25/6	"
-----------	---	-----------------	-----	------	------	------	---

<b>93</b>	—	Caergwrle Pattern Gorse	...	20/-	"
-----------	---	-------------------------	-----	------	---

<b>94</b>	—	Bean Hook	...	26/-	"
-----------	---	-----------	-----	------	---

<b>96</b>	—	Osier	...	16/-	"
-----------	---	-------	-----	------	---

<b>98</b>	—	Norfolk Brushing or Bean Hook	...	22/-	24/-	— "
-----------	---	-------------------------------	-----	------	------	-----

			No. 0	1	2	3	4	5	
—	<b>21</b>	Kent Pattern	...	19/-	20/-	21/-	22/6	24/-	"

—	<b>30</b>	Staff Hook	...	18/-	19/-	20/-	21/-	22/-	— "
---	-----------	------------	-----	------	------	------	------	------	-----

<b>131</b>	—	Lincoln Staff, without handle	—	17/-	18/-	19/-	20/-	— "
------------	---	-------------------------------	---	------	------	------	------	-----

(Handles extra according to length.)

<b>132</b>	—	Cardiff Hedging	...	17/-	18/-	19/-	20/-	21/-	"
------------	---	-----------------	-----	------	------	------	------	------	---


<b>133</b>	—	Ellesmere	...	15 in.	20/-	"
------------	---	-----------	-----	--------	------	---







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's  
Patterns, marked FUSSELL.





## VARIOUS PATTERN HOOKS.

NASH'S FUSSELL'S  
No. No.

			No. 3	4	5	6	7	
—	<b>11</b>	Devizes Pattern Eaves Hook	25/-	27/6	30/-	33/6	38/-	per doz.
—	<b>12</b>	Cranked Thatcher's Hook	25/6	28/-	30/9	34/3	39/-	"
—	<b>1</b>	Hop Bine Hook ...	...	...	...	10/6		"
—	<b>10</b>	Cockle Hook ...	...	...	...	10/-		"
<b>97</b>	—	Cranked Hop Hook ...	...	...	...	16/6		"


				No. 1	2	3	4	5	
—	<b>27</b>	Malmesbury Pea Hook ...	20/-	22/6	25/-	28/-	31/-		"
—	<b>42</b>	Banbury Pattern Eaves Hook ...	...	...	...	24/-			"
<b>134</b>	—	Devizes Pattern Thatcher's Hook ...	...	...	...	24/-			"
<b>135</b>	—	Ditto ditto ditto ...	...	...	...	24/-			"
<b>136</b>	—	Vraic Pattern Hook ...	...	...	...	10/-			"
<b>137</b>	—	Ditto ditto ..	..	..	...	...	10/-		"







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns, marked FUSSELL.



# INDEX.

## BILL HOOKS, BROOM HOOKS, and SOCKET BILL HOOKS.

<b>A</b>			<b>PAGE</b>			<b>O</b>			<b>PAGE</b>		
Abingdon Bill	...	...	43	Hedging Bill	...	...	42	Oxford Bill	...	...	41
<b>B</b>				Hedging Broom	...	...	45	Oxford, Duckett's, Bill	...	...	41
Banbury Broom	...	...	45	Hereford Bill	...	...	42	Offley Socket Bills	...	...	46
Bath Bill	...	...	43	Hereford Broom	...	...	45	<b>P</b>			
Bedford Socket Bill	...	...	46	Hertfordshire Socket Bills	...	...	46	Pontypool Bill	...	...	42
Berkshire Bill	...	...	41	Hurdling Bill	...	...	41	<b>R</b>			
Block Bill	...	...	44	<b>I</b>				Roach Back Bill	...	...	43
Block Socket Bill	...	...	46	Isle of Wight Bill	...	...	41	Rutland Bill	...	...	43
Bristol Bill	...	...	43	Imber Bill	...	...	43	<b>S</b>			
<b>C</b>				Irish Broom	...	...	45	Salisbury Bill	...	...	43
Caergwrle Bill	...	...	42	<b>K</b>				Sevenoaks Bill	...	...	44
Canterbury Bill	...	...	41	Kent Bill	...	...	41	Shropshire Bill	...	...	42
Charts' Bills	...	...	41	Kent Broom	...	...	45	Shropshire Broom	...	...	45
Charts' Socket Bill	...	...	46	Kent Rips	...	...	45	Spar Bill	...	...	43
Cheltenham Socket Bill	...	...	46	Kent Socket Bill	...	...	46	Stafford Bill	...	...	43
Chichester Bill	...	...	41	Kington Bill	...	...	42	Stafford Broom	...	...	45
Chippenham Bill	...	...	44	Knapman Bill	...	...	44	Stratford Broom	...	...	45
Cutting Down Bill	...	...	41	Knighton Bill	...	...	42	Suffolk (Light) Socket Bill	...	...	46
<b>D</b>				<b>L</b>				Suffolk (Strong) Socket Bill	...	...	46
Dorset Bill	...	...	44	Ledbury Bill	...	...	42	Surrey Bill	...	...	41
Downton Bill	...	...	44	Leek Bill	...	...	42	Sussex Bill	...	...	41
Duckett's Oxford Bill	...	...	41	Leicestershire Broom	...	...	45	Swindon Bill	...	...	43
<b>E</b>				Lincoln Broom	...	...	45	<b>T</b>			
Epsom Bill	...	...	41	Llandilo Bill	...	...	43	Tetbury Bill	...	...	43
<b>F</b>				Llanelly Bill	...	...	42	Tetbury Socket Bill	...	...	46
Faggoting Bill	...	...	41	<b>M</b>				Trowbridge Bill	...	...	44
Farringdon Bill	...	...	44	Moss's No. 1 Bill	...	...	41	Trowbridge Projection Bill	...	...	44
Folkestone Bill	...	...	41	Moss's No. 2 Bill	...	...	41	<b>U</b>			
Fordingbridge Bill	...	...	44	Maidstone Bill	...	...	44	Uttoxeter Bill	...	...	45
<b>G</b>				Martock Bill	...	...	44	Uxbridge Socket Bill	...	...	46
Gentlemen's Broom	...	...	45	Monmouth Bill	...	...	42	<b>W</b>			
Gravesend Bill	...	...	41	<b>N</b>				Warminster Bill	...	...	43
<b>H</b>				Natal Broom	...	...	45	Watford Socket Bill	...	...	46
Half Turn Bill	...	...	44	Newport Bill	...	...	42	Wells Bill	...	...	43
Hampshire Bills	...	...	41	Newtown Bill	...	...	42	Wiveliscombe Bill	...	...	43
Hay Bill	...	...	42	Norfolk Bill	...	...	44	Woodman's Bill	...	...	42
				Nottingham Broom	...	...	45	Woodrow Bill	...	...	44
								Woodstock Socket Bill	...	...	46



## SECTION V.

---

### EDGE TOOLS.

---

#### SUB-SECTION B.

BILL-HOOKS, SLASHERS, AXES, HATCHETS, ADZES,  
DRAWING KNIVES, CLEAVERS, CHOPPERS, &c.



370



367



396



408

BILL HOOKS, BROOM HOOKS, SOCKET BILL HOOKS and SLASHERS are measured from top of ferrule or socket to extreme end as shown by dotted lines in above engravings



## BILL HOOKS.

No.	PATTERN.	7	7½	8	8½	9	9½	10	10½	11	11½	12 in.
253	Epsom ...	...	—	—	—	—	—	21/-	22/3	23/6	24/9	26/- per doz
254	Kent ...	...	—	—	21/-	21/3	21/6	22/-	22/3	24/9	27/-	29/6 31/- "
256	Chart's or Gravesend	—	—	24/9	26/-	27/-	28/6	29/6	31/-	32/-	33/-	34/- "
257	" Canterbury	—	—	24/9	26/-	27/-	28/6	29/6	31/-	32/-	33/-	34/- "
258	" Folkestone	—	—	24/9	26/-	27/-	28/6	29/6	31/-	32/-	33/-	34/- "
259	Hampshire or Isle of Wight	...	...	23/6	24/-	24/6	25/-	26/-	27/-	28/-	29/-	30/- 31/- 32/- "
260	Hampshire or Isle of Wight Cutting Down	...	...	—	—	24/6	25/-	26/-	27/-	28/-	29/-	30/- 31/- 32/- "
261	Hampshire Faggoting	—	—	24/6	25/-	26/-	27/-	28/-	—	—	—	— "
262	" Hurdling	—	—	24/6	25/-	26/-	27/-	28/-	—	—	—	— "
263	Chichester or Moss's No. 2	...	...	—	—	20/6	20/6	20/6	20/6	21/-	22/-	24/- 25/- 27/- "
264	Sussex	...	...	23/6	24/-	24/6	25/-	26/-	27/-	28/-	—	— — — "
268	Berkshire or Moss's No. 1	...	...	23/-	23/6	24/-	24/6	25/-	25/6	26/-	26/6	27/- 28/- 29/- "
269	Oxford	...	...	—	—	—	—	23/-	23/6	24/-	24/6	25/- 25/6 26/6 "
270	Surrey	...	...	—	—	21/-	21/6	22/3	23/-	23/6	—	— — — "
368	Duckett's Oxford	...	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



253



254



256



257



258



259



260



261



262



263



264



268



269



270



368



## BILL HOOKS.

No.	PATTERN.			9	9½	10	10½	11	11½	12 inch.
<b>277C</b> Knighton	...	...	...	21/-	21/6	22/3	24/9	27/-	29/6	31/- per doz.
<b>278</b> Shropshire	...	...	...	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
<b>279</b> Woodman's	...	...	...	23/6	24/-	24/9	27/-	29/6	32/-	34/- "
<b>280</b> Kington	...	...	...	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
<b>281</b> Hedging ...	...	...	...	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
<b>282</b> Hay	...	...	...	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
<b>283</b> Pontypool	...	...	...	23/6	24/-	24/9	27/-	29/6	32/-	34/- "
<b>283A</b> Monmouth, Solid Steeled				—	—	30/-	32/-	—	—	— "
<b>284</b> Newtown	...	...	...	21/-	21/-	21/6	22/3	24/9	26/-	27/- "
<b>286</b> Hereford	...	...	...	21/6	22/-	22/9	24/-	26/9	29/6	31/- "
<b>287</b> Ledbury ...	...	...	...	21/6	22/-	22/9	24/-	26/9	29/6	31/- "
<b>288</b> Llanelly ...	...	...	...	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
<b>362</b> Caergwrie	...	...	...	20/6	20/6	20/6	22/-	23/6	25/-	27/- "
<b>363</b> Leek	...	...	...	21/6	22/-	23/-	24/-	24/6	25/6	26/6 "
<b>364</b> Newport...	...	...	...	21/6	22/-	22/3	24/9	27/-	29/6	31/- "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



277 C



278




279



280



281



282



283



283 A




284



286



287



288



362



363



364



## BILL HOOKS.

No.	PATTERN.	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12 inch.
285	Stafford ...	—	—	—	—	—	—	21/-	21/-	21/-	23/6	25/9	28/3	30/- per doz.
365	Abingdon ...	—	—	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
366	Bath ...	—	—	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
367	Bristol ...	21/6	21/6	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
369	Imber ...	—	—	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
370	Llandilo ...	—	—	—	—	—	—	—	22/6	23/-	24/-	26/-	28/-	31/- "
371	Roach Back ...	—	—	—	—	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	— "
372	Rutland ...	—	—	—	—	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	— "
373	Salisbury ...	21/6	21/6	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
374	Spar ...	16/-	16/-	16/6	16/6	17/-	17/-	18/-	18/-	18/6	—	—	—	— "
375	Swindon ...	—	—	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
376	Tetbury ...	—	—	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
377	Warminster ...	—	—	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
378	Wells ...	—	—	—	—	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
379	Wiveliscombe—	—	—	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



285



365



366



367



369



370



371



372



373



374




375



376



377



378



379



## BILL HOOKS.

No.	PATTERN.	7	7½	8	8½	9	9½	10	10½	11	11½	12 inch.
<b>255</b>	Block ...	...	—	—	22/6	23/-	23/6	25/-	26/-	27/-	28/6	— per doz.
<b>265</b>	Norfolk ...	...	—	—	—	23/-	23/6	24/-	24/9	26/-	27/-	28/- 30/- "
<b>380</b>	Trowbridge Projection	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
<b>381</b>	Trowbridge...	...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9 26/- "
<b>382</b>	Chippenham	...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9 26/- "
<b>383</b>	Dorset ...	...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3 27/6 "
<b>384</b>	Downton ...	...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3 27/6 "
<b>385</b>	Farringdon ...	...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9 26/- "
<b>386</b>	Fordingbridge	...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3 27/6 "
<b>387</b>	Half Turn ...	...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9 26/- "
<b>388</b>	Maidstone ...	...	21/-	21/-	21/6	22/6	23/-	24/-	24/6	25/-	26/-	27/- 28/- "
<b>389</b>	Martock ...	...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3 27/6 "
<b>390</b>	Sevenoaks ...	...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9 26/- "
<b>391</b>	Woodrow ...	...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9 26/- "
<b>392</b>	Knapman ..	...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3 27/6 "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



255



265



380



381



382



383



384



385



386



387



388



389



390



391



392




## BROOM HOOKS.

No.	PATTERN.		7	7½	8	8½	9	9½	10	10½	11	11½	12 inch.
271	Shropshire	...	—	—	—	21/6	22/6	23/6	24/6	26/-	29/-	32/-	34/- per doz.
272	Stafford ...	...	—	—	—	21/-	21/-	21/6	22/3	24/9	27/-	29/6	31/6 "
273	Nottingham	...	—	—	—	—	22/3	23/6	24/9	26/-	27/-	28/6	29/6 "
274	Lincoln ...	...	—	—	—	—	22/3	23/6	24/9	26/-	27/-	28/6	29/6 "
275	Banbury ...	...	—	—	—	—	22/3	23/6	24/9	26/-	27/-	28/6	29/6 "
276	Kent	...	—	—	21/6	22/-	22/6	23/-	23/6	26/-	28/6	30/6	32/6 "
289	Gentlemen's Bright	}	22/-	22/-	22/3	23/-	24/-	—	—	—	—	—	"
	Cast-steel, Polished												
	Handles ...												
393	Bright Kent Rips ...	—	—	—	—	23/-	23/6	24/9	27/-	—	—	—	"
394	Hereford ...	...	—	—	—	22/6	23/-	24/-	24/6	25/6	27/-	29/6	31/6 "
395	Hedging ...	...	—	—	—	22/6	23/-	24/-	24/6	25/6	27/-	29/6	31/6 "
396	Natal	...	—	—	—	—	23/6	24/-	25/-	26/-	—	—	— "
397	Leicestershire	...	—	—	—	22/-	22/3	23/6	24/9	26/-	27/-	28/6	29/6 "
398	Irish	...	—	—	—	21/-	21/-	22/-	22/6	23/6	24/-	25/6	27/- "
399	Uttoxeter ...	...	—	—	22/-	22/6	23/-	24/-	24/6	25/-	26/-	28/-	30/- "
400	Best Warranted Cast-steel Bright Stratford,	41/- per doz.											




ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




271




272




273



274



275



276




289



393




394



395



396




397



398



399



400



## SOCKET BILL HOOKS.

No.	PATTERN.	7½	8	8½	9	9½	10	10½	11	11½	12	inch.
266	Suffolk, light, } handled ... }	—	—	23/-	23/6	24/-	24/6	26/-	27/-	28/-	30/-	per doz.
267	Suffolk, strong, } handled ... }	—	—	25/-	26/-	27/-	28/-	29/6	31/-	32/-	34/-	"
290	Kent ...	—	—	22/-	23/6	24/-	24/9	27/-	29/9	32/-	34/-	"
291	Chart's ...	—	27/3	28/6	29/6	31/-	32/-	—	—	—	—	"
292	Block ...	—	24/-	25/-	26/-	27/6	28/6	29/6	31/-	33/-	35/-	"
293	Offley, small bill	—	—	—	23/6	24/-	25/-	27/-	—	—	—	"
294	„ large bill	—	—	—	23/6	24/-	25/-	27/-	—	—	—	"
401	Cheltenham ...	—	21/6	22/-	23/6	24/-	24/9	27/-	29/9	32/-	34/-	"
402	Uxbridge ...											
403	Watford ...											
404	Bedford, Solid } Steeled (handled } extra) ... }	23/-	24/-	25/-	26/-	27/6	28/6	29/6	31/-	33/-	35/-	"
405	Woodstock ..	—	—	—	—	27/6	28/6	29/6	31/-	33/-	35/-	"
406	Hertfordshire, } full edge }	23/-	24/-	25/-	26/-	27/6	28/6	29/6	31/-	33/-	35/-	"
407	Hertfordshire, } straight edge }											
408	Tetbury ...	21/-	21/6	22/-	23/6	24/-	24/9	27/-	29/9	32/-	34/-	"

Handled, 5/- dozen extra.




ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



266



267



290



291



292



293



294



401



402



403



404



405



406



407



408



## SLASHERS.

No.	7	8	9	10	11	12	13	14	15	16 inch.
<b>308</b> Manchester Pattern Switch- ing Bills or Slashers ...	— 36/- 37/- 38/6 41/- 43/6 47/- 52/- 55/- 64/- per doz.									
<b>309</b> Spear Point or Melton Pattern ... ..	32/- 32/- 33/6 34/6 35/9 37/- 38/6 39/6 41/- 43/- "									
<b>310</b> Double Edge Switching Bills or Slashers ... ..	37/- 39/- 40/- 42/- 45/- 48/- 51/- 56/- 59/- 65/- "									
<b>311</b> General Pattern Slashers, best finish ... ..	31/- 32/6 33/6 35/- 37/6 40/- 43/6 47/- 50/- 56/- "									
<b>311B</b> Ditto, Black finish ... ..	27/- 28/6 29/6 31/- 33/6 36/- 39/6 43/- 47/- 52/- "									
No. 1 2 3										
<b>314</b> Yorkshire Pattern 36/- 37/- 38/6										
<b>315</b> Best Bright and Blued Socket Slashers or Furze Hooks ... ..	23/- 23/6 24/6 26/- 27/- 28/- 30/- 32/- 34/6 37/- "									
<b>316</b> Strong Double Edge Slashers ... ..	38/- 40/- 42/- 44/- 47/- 50/- 53/- 58/- 61/- 67/- "									



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



308



309



310



311



311 B



314



315



316



## SLASHERS.

No.		7	8	9	10	11	12	13	14	15	16 inch.
<b>735</b>	Sir Tatton Sykes' } Pattern ... }	30/6	31/6	32/6	34/6	36/6	39/-	41/6	44/-	49/-	55/- per doz.
<b>736</b>	Old Lincoln Pattern	28/-	30/-	32/-	34/-	36/-	38/-	—	—	—	"
<b>737</b>	Bright Cast Steel } Straight Edge } Pattern ... }	34/6	36/-	37/-	38/6	41/-	43/6	47/-	50/-	52/-	58/- "
<b>738</b>	Bright Cast Steel } General Pattern }	34/6	36/-	37/-	38/6	41/-	43/6	47/-	50/-	52/-	58/- "
<b>739</b>	Dunse Pattern Cutting-over Slashers...								5 $\frac{3}{4}$	6 $\frac{1}{2}$	7 inch.
									34/6	36/-	37/6 per doz.
<b>740</b>	Dunse Pattern Pruning Slashers							6 $\frac{1}{4}$	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$ inch.
								27/-	28/6	29/6	31/- per doz.
<b>741</b>	Hand Slashers, Best Finish							7	8	9	10 inch.
								27/6	28/-	29/-	34/6 per doz.
	" " Black							25/6	26/-	27/-	32/- "
<b>742</b>	Best Bright Cast Steel Improved Trimmers, } or Hand Slashers, with Back ... }							34/6	35/-	37/-	40/- "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



735



736



737



738



739



740



741



742



## AXES.

No.		To 1½	1¾	2	2¼ lbs. and up.
<b>317</b>	Steel Poll Broad Kent ...	1/-	-/11	-/10½	-/8¼ per lb.
<b>321</b>	" " Marychurch Pattern, Lopping				
<b>322</b>	" " Single Cheek Yorkshire ...				
<b>325</b>	" " Scotch ...				
	" " " Blued ...	1/1	1/-	-/11½	-/9¼ "
<b>328</b>	" " Solid Steeled Chichester Lopping	1/1¼	1/0¾	1/0¼	-/10 "
<b>331</b>	" " Chart's Lopping ...	1/-	-/11	-/10½	-/8¼ "
<b>332</b>	" " Irish Axes ...				
<b>334</b>	" " Wantage Lopping ...	1/1	1/-	-/11	-/10 "
<b>336</b>	" " Norfolk ...	1/-	-/11	-/10½	-/8¼ "
<b>760</b>	" " Suffolk ..				
<b>761</b>	" " Hedging, Single Cheek ...				
<b>762</b>	" " Kent Side Axes ...	1/1	1/-	-/11½	-/9¼ "
<b>763</b>	Wycombe Chair Makers' Axes ...				
<b>764</b>	Steel Poll Single Cheek Shipwrights' Axes	—	—	—	-/8¼ "
<b>765</b>	" " Shipwrights' Side Axes ...	—	—	—	-/9¼ "
<b>766</b>	" " Double Cheek Shipwrights' Axes	—	—	—	-/8¼ "
<b>767</b>	Round Poll Shipwrights' Axes ...	—	—	—	-/8¼ "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



317



321



322



325



328



331



332



334



336



760



761



762



763



764



765



766



767



# AXES.


[illegible]

					To 1½	1¾	2	2½ lbs. and up.
<b>772</b>	Steel Poll Broad Axes ... ..	...	...	...	I/-	-/II	-/IO½	/8¼ per lb.
	" " " Blued ... ..	...	...	...	I/I	I/-	-/II½	-/9¼ "
<b>773</b>	Steel Poll "London" Wheelwrights' Axes	—	—	—	—	—	—	-/9¼ "
<b>774</b>	" " " Newtown " " " " " " " "	—	—	—	—	—	—	-/9¼ "
<b>775</b>	" " " Welsh " " " " " " " "	—	—	—	—	—	—	-/9¼ "
<b>776</b>	" " " Manchester " " " " " " " "	—	—	—	—	—	—	-/9¼ "
<b>777</b>	" " General Pattern " " " " " " " "	—	—	—	—	—	—	-/9¼ "
<b>778</b>	" " Coach Side Axes ... ..	...	...	...	—	—	—	-/IO½ "
<b>779</b>	" " Crate Axes ... ..	...	...	...	—	—	—	-/9¼ "
<b>780</b>	" " Kent Hop-pole Side Axe ... ..	...	...	...	—	—	—	-/IO½ "

						9	10	11	12 inch.
<b>781</b>	Coopers' Axes	...	...	...	...	38/-	40/-	42/-	44/- per doz.
<b>782</b>	Steel Poll Rafting Axes	...	...	...	...			-/8½	"
<b>783</b>	" Mortice Axes	...	...	...	...			-/8½	"
<b>784</b>	" Single Cheek Yorkshire Felling Axes	...	...	...	...	—	—	— -/8½	"



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



769




770



771




772



773



774



775



776



777



778



779




780



781



782



783



784




## AXES.

No.		2½ to 3½ lb.	Above 3½ lbs.
<b>326</b>	Nash's Solid Steeled Bright and Blued "Canada" } Wedge Axes, Standard Pattern ... ..	1/-	-/11 per lb.
<b>327</b>	Nash's Solid Steeled Bright and Blued "Canada" } Wedge Axes, Narrow Pattern ... ..	1/-	-/11 "
769	... .. "Canada" } ... ..	1/-	-/11 "
3	3½	5	6½ 7 lbs.
6/-	52/-	70/6	81/6 87/- per doz.
<b>318</b>	Steel Poll Solid 31 ... s's } Pattern Felling Axes ... ..		-/10 per lb.
<b>319SS</b>	Steel Poll Solid Steeled Kent } Felling Axes ... ..		-/10 "
319	Steel Poll Steeled ditto ditto		-/8½ "
		To 1½ 1¾ 2 2½ lbs. and up.	
<b>330</b>	Steel Poll Kent Axes ... ..	1/-	-/11 -/10½ -/8½ "
330SS	" " Solid Steeled Kent Axes	1/1 1/-	-/11½ -/9½ "



# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE

Engravings Nos. 326 and 327 are half actual size of the weights indicated.



**326**  
5 lb.



**327**  
5 lb.

Engravings Nos. 318, 319, and 330 are  $\frac{1}{2}$  of the weights indicated.



**318**  
6 lb.



**319SS**  
6 lb.



**330**  
 $3\frac{1}{2}$  lb.



## HATCHETS AND HANDLED AXES.

BEST SELECTED HANDLES.

No.		2	3	4	5	6	
<b>295</b>	Bright and Blued Steel Poll Hatchets	1 1/-	1 1/6	19/6	22/6	25/-	27/- 30/- per doz.

<b>298</b>	Steel Poll Hatchets	...	...	...	14/-	14/6	16/6	18/6	20/6	22/6	24/6	"
------------	---------------------	-----	-----	-----	------	------	------	------	------	------	------	---

Weight of Head 1½ 1¾ 2 2½ 3 3½ 4 4½ 5 lbs.

### **330H** Handled Joiner's or Kent Axes—

Ordinary ... 20/- 22/- 24/- 26/- 30/- 34/- 38/- 42/- 46/- per doz.

Solid Steeled ... 24/- 26/- 28/- 30/- 34/- 40/- 44/- 48/- 52/- "

1½ 2 2½ lbs.

<b>785</b>	Solid Steeled Bright and Blued Canada Pattern Hatchets	34/-	36/-	38/-	per doz.
------------	--	------	------	------	----------




# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE


*Engravings on this page are quarter actual size of the sizes and weights indicated.*



**295**  
No. 4



**298**  
No. 4



**330H**  
Ordinary  
2 1/2 lbs.



**785**  
2 lbs.



## ADZES AND SHINGLING HATCHETS.

No.		No. 1	2	3	4
<b>795</b>	Carpenters' Adzes ... ..	29/6	31/9	35/3	37/- per doz.
<b>796</b>	Best Warranted Carpenters' Adzes, half bright and japanned ... ..	36/6	38/9	41/9	44/- "
<b>797</b>	Spout or Gutting Adzes ... ..	36/6	39/-	42/-	44/- "
<b>798</b>	American Pattern Ship Adzes ... ..	—	—	42/-	— "
<b>799</b>	Australian or Wheelers' Square Polled Adzes, blued or bronzed ... ..	43/6	46/-	49/6	53/- "
<b>800</b>	Joiners' or House Carpenters' Adzes ...	29/6	31/9	35/3	37/- "
<b>801</b>	Hatchet Eye Fencers' or Wheelers' Adzes	42/-	44/-	48/-	52/- "
<b>802</b>	Best Coopers' Sharp Adzes, blued ...	32/-	34/-	36/-	40/- "
	" " " black ...	29/-	31/-	33/-	37/- "
<b>803</b>	Best Coopers' Notching Adzes, chequered and clawed, black ... ..	31/-	33/-	35/-	38/- "
	Ditto ditto blued ... ..	34/-	36/-	38/-	41/- "
<b>804</b>	Coopers' Howells ... ..	23/6	26/-	28/3	— "

## SHINGLING HATCHETS.


No.		No. 1	2	3	4
<b>809</b>	Cast Steel Bright and Japanned Shingling Hatchets ... ..	20/-	21/-	22/-	23/- per doz.
<b>810</b>	Cast Steel Bright and Japanned American Pattern Shingling Hatchets ... ..	22/-	25/-	28/-	— "
<b>811</b>	Cast Steel Bright and Japanned American Pattern Shingling Hatchets, with Claw	23/6	27/-	30/-	— "
<b>812</b>	Ditto ditto ditto ... ..				



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



795



796



797



798



799



800



801



802




803



804



809



810



811



812



## COOPERS' TOOLS.

No.		6	7	8	9	10	11	12 inch.
<b>679</b>	Platers' Shears or Tinmen's Snips	—	—	20/-	24/-	27/-	33/-	36/- doz.
<b>679B</b>	Ditto Ditto Bent	—	—	35/-	38/-	42/-	46/-	51/- "
<b>680</b>	Cast Steel Bench or Paring Knives	88/-	95/-	104/-	115/-	119/-	130/-	143/- "
<b>681H</b>	{ Cast Steel Carpenters' Drawing	8	9	10	11	12	13	14 inch.
	{ Knives, with Handles, Brass	28/6	30/-	32/-	35/-	38/-	41/6	45/6 doz.
<b>682H</b>	{ Caps and Ferrules ... ..							
<b>681</b>	{ Ditto Ditto Ditto	22/-	23/6	25/6	28/6	31/6	35/-	39/- "
<b>682</b>	{ without Handles ... ..							
<b>683H</b>	Cast Steel London Drawing Knives, with Handles, Brass Caps and Ferrules... ..	28/6	30/-	32/-	35/-	38/-	41/6	45/6 "
<b>683</b>	Ditto Ditto Ditto without Handles ... ..	22/-	23/6	25/6	28/6	31/6	35/-	39/- "
<b>684</b>	Cast Steel Coopers' Straight Heading Knives, 2 in. wide, Bright and Blued, Handled... ..	—	—	32/6	35/6	38/6	—	— "
<b>685</b>	Cast Steel Coopers' Circular Heading Knives, 2½ in. wide, Bright and Blued, Handled ...	36/-	37/-	37/6	41/-	44/-	—	— "
<b>686</b>	Cast Steel Coopers' Broad Hollowing Knives, London Pattern	36/6	39/6	42/6	45/-	—	—	— "
<b>687</b>	Cast Steel Ditto Ditto Liverpool Pattern ... ..	41/6	42/6	45/6	48/6	—	—	— "

In ordering Hollowing Knives say if in or out Cannelled or Steeled.


688	Cast Steel Coopers' Jigger Knives,								
	Cannelled Inside ... ..	2½	2¾	3	3½	4 inch.			
689	Cast Steel London Pattern Ditto	30/-	31/-	34/-	36/-	37/- doz.			
	Cannelled Outside ... ..								
690	Gentlemen's Box Handle C.S.	4	4½	5	5½	6	6½	7 inch.	
	Drawing Knives ... ..	20/-	22/-	24/-	26/-	28/-	30/-	32/- doz.	
691	Burton Pattern Coopers' Drivers	...	...	...	...	...	...	30/-	„
692	Coopers' Nail Punches ... ..	...	...	...	...	...	...	12/-	„
693	„ Rivet „ ... ..	...	...	...	...	...	...	16/-	„
694	„ Vices ... ..	...	...	...	...	...	...	20/-	„
695	„ Froes ... ..	...	...	...	...	...	...	1/2 lb.	
696	„ Flagging Irons ... ..	...	...	...	...	...	...	30/- doz.	
697	„ Two-handled Cast Steel Round Shaves ...	...	...	...	...	...	...	23/-	„



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



679




680




681 H



682 H




683 H



684



686



688



695



696



691




694



692



693



697



## CLEAVERS AND CHOPPERS.

No.

<b>339</b>	Bright Cast Steel, Iron Handle Butchers' Cleavers	$\frac{3\frac{1}{2} \text{ lbs.}}{-9}$ and above	Under $\frac{3\frac{1}{2} \text{ lbs.}}{-10}$ per lb.
------------	---	--	---

No. 1      2      3      4      5

<b>340</b>	Bright Cast Steel, Iron Handle Choppers	26/-	28/-	31/-	34/-	38/- doz.
------------	---	------	------	------	------	-----------

<b>342</b>	Bright Cast Steel, Scale Tang Butchers' Cleavers	$\frac{3\frac{1}{2} \text{ lbs.}}{1/2}$ and above	Under $\frac{3\frac{1}{2} \text{ lbs.}}{1/4}$ per lb.
------------	--	---	---

<b>344</b>	Bright Cast Steel, Scotch Pattern Cleavers	$\frac{3\frac{1}{2} \text{ lbs.}}{1/1}$ and above	Under $\frac{3\frac{1}{2} \text{ lbs.}}{1/2}$ per lb.
------------	--	---	---

Ditto      ditto      ditto with Scale Tang Handles      1/3      1/5      "

No. 0      1      2      3      4      5      6

<b>347</b>	Bright Warranted London Choppers	21/-	21/-	23/6	26/-	28/6	31/-	33/6 doz.
------------	----------------------------------	------	------	------	------	------	------	-----------

<b>348</b>	Bright, Wood Handle Choppers	16/-	16/-	18/6	21/-	23/6	26/-	28/6 "
------------	------------------------------	------	------	------	------	------	------	--------

<b>349</b>	Bright Solid Cast Steel Smithfield Choppers,	8	9	10	11	12 inch.
	with Scale Tang Handles	47/-	52/-	57/-	63/-	70/- doz.


Bright Solid Cast Steel Smithfield Choppers, } 35/- 39/- 44/- 48/- 52/- "  
with Round Handles, as No. 823

No. 1      2      3      4      5      6

<b>821</b>	Bright Warranted Devon Choppers	23/6	25/-	27/-	30/-	33/-	36/- doz.
------------	---------------------------------	------	------	------	------	------	-----------



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



339




340




342




344




347



348



349



821



## CLEAVERS, CHOPPERS, &C.

No.												
320	Smithfield Pole Axes	...	...	...	...	...	...	...	46/6	doz.		
350	Bright Solid Cast Steel Lamb Choppers, with Round Handles	}	8	8½	9	9½	10	10½	11	11½	12 inch.	
			26/-	27/-	28/6	30/-	31/6	33/-	38/6	40/-	44/- doz.	
350 ST	Bright Solid Cast Steel Lamb Choppers, with Scale Tang Handles	}	33/-	34/6	35/6	37/-	38/6	42/-	46/-	49/-	52/- "	
822	Pig Killing Hammers	...	...	...	...	...	...	...	36/-	doz.		
							10	10½	11	11½	12 inch.	
823	Bright Solid Cast Steel Calf Choppers, with Round Handles	}	...	...	...	...	31/6	33/-	38/6	40/-	44/- doz.	
	Bright Solid Cast Steel Calf Choppers, with Scale Tang Handles, as No. 349	}	...	...	...	...	36/6	38/-	43/-	45/-	49/- "	
							No. 6	7	8	9		
824	Bright Warranted Irish Choppers	...	...	...	...	...	32/-	35/-	37/-	40/-	"	
							No. 1	2	3	4	5	6
825	Bright Warranted Nottingham Choppers,	36/-	38/6	41/-	43/-	45/6	48/6	...	...	...	...	...
826	Bright Cast Steel Solid Socket Dough Scrapers, with Wood Handles	20/-	...	...	...	...	...	...	...	...	...	...
827	Half-Bright Dough Scrapers, with Wood Handles	...	...	...	...	...	...	...	...	14/-	"	...
828	Bright Cast Steel Dough Scrapers, with Fancy Wood Handles	...	...	...	...	...	...	...	...	17/-	"	...
829	Solid Cast Steel Pig Scrapers, with Hook	...	...	...	...	...	...	...	...	20/-	"	...
830	Bright Solid Cast Steel Steak Beaters	...	...	...	...	...	...	...	...	23/6	"	...
							No. 1	2	3			
831	Bright Cook's Meat Choppers, polished Handles	...	...	...	...	...	12/6	14/6	16/-	"	...	...
832	Wood Choppers, polished Handles	...	...	...	...	...	6/-	6/6	7/-	"	...	...



# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




320




822




826



827



828



829




830




350




350 S T




823




824



825



831



832





## SECTION VI.

---

### **HAMMERS.**

---

Sole Manufacturers of the



Joiners', Farriers', and other Hammers.



# ENGINEERS', JOINERS', & FARRIERS' HAMMERS.

## CAST STEEL ENGINEERS' HAMMERS.

No. 200					No. 201			No. 487					
Ball Pane.					Cross Pane.			Straight Pane.					
1½ lbs. and up		...	...	...	-/10 per lb. (1/10½ per kilo.)								
1 lb. and under		...	...	...	10/- per doz.								
STOCK SIZES.													
3	4	6	8	12	16 ozs.	1¼	1½	1¾	2	2¼	2½	2¾	3 lbs.
·085	·113	·170	·226	·340	·450	·56	·68	·79	·90	1	1·12	1·24	1·35 kilo.

### No. 467

## NASH'S IMPROVED SOLID CAST STEEL FARRIERS' NAILING-ON HAMMERS.

### Best Selected White Oval English Ash Handles.

					No. 467		No. 467/3	
Width of Face	...	...	...	...	...	$\frac{3}{4}$	...	$\frac{7}{8}$ inch.
Weight of Head	...	...	...	...	...	11	...	12 $\frac{1}{2}$ oz.
Weight complete	...	...	...	...	...	14 $\frac{1}{2}$	...	16 "
Price	...	...	...	...	...	25/-	...	30/- doz.

*With Rough Holly Handles, same prices.*

### No. 462

## NASH'S SOLID CAST STEEL HANDLED JOINERS' HAMMERS.

### Carefully Hardened and Tempered, and all Warranted.

### Polished Oval Best Selected Handles.

Size No. 0	1	2	3	4	5	6	7	8	9	10
13/-	13/-	14/-	15/-	17/-	19/-	22/-	25/-	28/-	31/-	34/- per doz.

### No. 462 H

## NASH'S SOLID CAST STEEL JOINERS' HAMMER HEADS.

### Carefully Hardened and Tempered, and all Warranted.

Size No. 0	1	2	3	4	5	6	7	8	9	10
11/-	11/-	12/-	13/-	15/-	17/-	20/-	23/-	26/-	29/-	32/- per doz.



ENGRAVING IS ACTUAL SIZE OF A No. 6.



# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



200


Engravings No. 200, 201, and 487 are half actual size of 1½ lb. Hammers.



201




487



467

Engraving is half actual size.



462

Engraving is half actual size of a No. 2.









ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





463



473




Three assortments in a Dozen.



472




464




465

466



492




469



470




471




493

468



494



495





## HAMMERS.

No.	Size No. 1					2	3	
<b>474</b>	Best Wrought Handled Coal Hammers...					16/-	18/-	20/- per doz.
<b>475</b>	Wrought Handled Coal Hammers					9/6	11/-	13/- "
<b>476</b>	Special Wrought Handled Coal Hammers					8/-	—	—
<b>477</b>	Packers' or Grocers' Hammers					26/-	30/-	—
<b>478</b>	Bricklayers' Hammers, handled					...	20/-	"
	" " heads only					...	18/-	"
<b>478A</b>	Bricklayers' Hammers, heads only					...	18/-	"
	" " handled					...	20/-	"
<b>479</b>	Slaters' Hammers, strapped pattern					...	36/-	"
<b>479A</b>	" " " " without claw.					...	34/-	"
<b>480</b>	Masons' Scutch Hammers					...	22/-	"
	" " " handled					...	24/-	"
	Size No. 1					2	3	
<b>481</b>	Bright Lath Hammers					16/-	18/-	20/- "
<b>482</b>	Solid Cast Steel Handled Bench Hammers,					1 1 1/4 1 1/2 2 2 1/2 3 lbs.		
	Polished Oval Handles					16/6 17/- 18/3 21/6 25/9 29/6	"	
Straight Pane, No. 483, Double Face No. 483A, same prices.								
Guaranteed weight of Copper Head 6 8 10 12 14 16 18 20 24 ozs.								
<b>484</b>	Patent Soldering Irons,							
	Copper Bits					17/- 18/6 21/- 23/- 25/- 27- 30/- 32/- 36/-	"	
<b>485</b>	Ordinary Soldering Irons,							
	Copper Bits					...		
The Copper Bit in pattern 484 may be instantly adjusted to any required angle.								
<b>496</b>	Plumbers' Soldering Irons					...	...	-/10 per lb.
	Size No. 1					2		
<b>497</b>	Case Opening Hammers					...	20/-	24/- per doz.
	Size No. 1					2		
<b>498</b>	Bright Solid Cast Steel Handled					1 1/4 1 1/2 2 2 1/2 3 lbs.		
	Club Hammers					17/- 18/3 21/6 25/9 29/6	"	

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





## HAMMERS.


No.								Per lb.
<b>193</b>	Cast-Steel Stonemasons' or Quarry Hammers	...	...	...	...	...	...	-/8
<b>194</b>	" Stone Hammers, Round Eyes	...	...	...	...	...	...	-/8
<b>195</b>	" Double-Face Stone Hammers	...	...	...	...	...	...	-/8
						6 lbs. and under.	Over 6 lbs.	
<b>197</b>	" Railway Keying Hammers	...	...	...	...	-/6	-/5½ per lb.	
<b>486</b>	" Egg-Shape Stone Hammers, Round Eyes	...	...	...	...	...	1/-	"
						6 lbs. and under.	Over 6 lbs.	
<b>488</b>	" Miners' or Drill Hammers, Round Faces	...	...	...	...	-/6	-/5½ per lb.	
<b>489</b>	" " " " Taper Pattern,							
	Octagon Faces	...	...	...	...	-/6	-/5½	"
								Per lb.
<b>490</b>	" Walling Hammers	...	...	...	...	...	...	-/6
<b>490A</b>	" " " " " " " "	...	...	...	...	...	...	-/6

## SLEDGE HAMMERS.

						6 lbs. and under.	Over 6 lbs.
<b>187</b>	Cast-Steel Sledge Hammer, Straight Pane	...	...				
<b>188</b>	" " Double Face	...	...				
<b>491</b>	" " Cross Pane	...	...			-/6	-/5½ per lb.
<b>491A</b>	" " Ball Pane	...	...	...			



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




193



490 A



195



490



488



197



489




194



486



187



188



491



491 A



## HAMMERS.

No.		1 lb. and under.	1½ lb. and up.
<b>198</b>	Cast-Steel Boiler Scaling Hammers ... ..		
<b>199</b>	" " " " " " " " " " " "		
<b>840</b>	" Double Pane Boiler Maker's Hammers ...	Per doz.	Per lb.
<b>841</b>	" " " " " " " " " " " "	10/-	-/10
<b>842</b>	" Cross Pane " " " " " "		
<b>843</b>	" Ball Pane " " " " " "		
		6 lbs. and under.	over 6 lbs.
<b>203</b>	" Pin Mauls ... ..	-/8½	-/8 per lb.
<b>844</b>	" Club Hammers ... ..	-/6	-/5½ "
	" " all Bright ... ..	-/7¾	-/7 "
<b>845</b>	" Square Body Mash Hammers .. ..	1/2	1/- "
<b>846</b>	" Round " " " " " " " "	1/2	1/- "

## FARRIERS' HAMMERS.

<b>190</b>	Cast Steel Farriers' Hammers, 2½ lbs. and up ... ..	-/8 per lb.
	" " all Bright ... ..	-/10 "
<b>847</b>	<b>NASH'S IMPROVED PATTERN CAST-STEEL FARRIERS' SHOE TURNING HAMMERS</b> ... ..	1/6 "
<b>848</b>	Cast-Steel Farriers' Cat's-Head Hammers ... ..	1/8 "
<b>849</b>	" Shoe Turning Hammers ... ..	1/4 "
<b>850</b>	" " " " " " " " " " " "	1/4 "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



198



199



840



841




842



843



203




845




844



846



190



847



849



848



850





## SECTION VII.



# **ANVILS, VICES, AND SMITHS' TOOLS.**





## ANVILS, &c.

### BEST WARRANTED TIED-IN ANVILS.

No.										WEIGHTS, from 84 lbs to 5 cwt. PER CWT.
175	Ordinary Smith's or London Pattern	...	...	...	...	...	...	...	...	32/-
176	Farrier's	..	...	...	...	...	...	...	...	33/4
177	Coach Smith's	...	...	...	...	...	...	...	...	33/4
178	Engineer's, with raised Steeled Table	...	...	...	...	...	...	...	...	33/4
180	Soho,	"	"	"	"	...	...	...	...	36/-
179	Double Bick Anvil	...	...	...	...	...	...	...	...	33/4
856	"	"	"	Bicks flush with Face	...	...	...	...	...	36/-

### BEST WARRANTED SOLID ANVILS.

3/- per cwt. extra (in all patterns).

EXTRAS NET.	Steeled Bicks	..	..	1/- per cwt. extra.
	Over 5 cwt ...	...	...	1/- " "
	Anvils smaller than 84 lbs. extra as follows:—			
	83 to 56 lbs.	55 to 30 lbs.	29 to 20 lbs.	
	2/-	6/6	16/- per cwt.	
	Anvils smaller than 20 lbs. quoted for on application.			

### ANVIL STANDS, SWAGE BLOCKS, AND TUYERE IRONS.

181	Cast Iron Anvil Stands	...	...	...	...	...	...	PER CWT.
								16/-
182	" " Swage Blocks							} 16/-
	Size No. 1	2	3	4	5			
	13 x 13 x 4½	14 x 14 x 4½	16 x 16 x 5½	18 x 18 x 6	20 x 20 x 7 ins.			
223	Improved Wrought Iron Water Tuyere Irons, with Pipes complete							
	Up to 17	18 in. and above.						
	1/1	1/4 per inch.						

# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



175



175  
Small Anvils made in  
any pattern to order.




(Ordinary Smiths' Pattern.)


Best warranted SOLID Anvils made in any  
pattern to order.



176



177



178




179




180




856



181



182



223





## ANVILS, BICK IRONS, AND VICES.

No.	BEST WARRANTED TIED-IN ANVILS.								WEIGHTS from 84 lbs. to 5 cwt. PER CWT.
857	Boiler Maker's	..	..	..	..	..	..	..	34/8
858	Saw Maker's	..	..	..	..	..	..	..	33/4
859	Edge Tool Maker's	..	..	..	..	..	..	..	34/8
860	Anvil, without Bick	..	..	..	..	..	..	..	32/-
861	Bar Iron Anvil	..	..	..	..	..	..	..	32/-
862	Edge Tool Maker's	..	..	..	..	..	..	..	34/8
863	Chain Maker's	..	..	..	..	..	..	..	34/8

### BEST WARRANTED SOLID ANVILS.

3/- per cwt. extra (in all patterns).

### BEST WARRANTED BICK IRONS AND ANVIL STAKES.

No.					From 10 to 20 lbs.	Above 20 lbs.
864	Smith's Bick Irons	..	..	..	1/2	1/- lb.
865	Cooper's Bick Irons	..	..	..		
866	Anvil Stakes	..	..	..		
867	Ditto ditto	..	..	..		

### BEST WARRANTED VICES.

OF SUPERIOR QUALITY AND FINISH, WITH LATHE-TURNED  
BOXES AND PINS.


No.									WEIGHTS from 31 lbs. up PER CWT.
183	Best Warranted BLACK Staple Vices, with solid wrought iron boxes ORDINARY PATTERN	..	..	..	..	..	..	..	50/-
800	Best Warranted BRIGHT Staple Vices, with solid wrought iron boxes ORDINARY PATTERN	..	..	..	..	..	..	..	53/-
881	Best Warranted BLACK Staple Vices, with solid wrought iron boxes TURN-BACK STAPLE PATTERN	..	..	..	..	..	..	..	50/-
882	Best Warranted BRIGHT Staple Vices, with solid wrought iron boxes MOVABLE STAPLE PATTERN, can be turned to any position	..	..	..	..	..	..	..	56/-
EXTRAS. Vices, with Spherical Gun-metal Washers, 2/8 per cwt. extra.									
Vices, 20 to 30 lbs .. .. 9/4 .. ..									
184	Best Solid Wrought Iron Lathe-turned Vice Boxes and Pins	..	..	..	..	..	..	..	Per lb. 1/-
In ordering, the size of eye in vice should be stated.									

### BENCH, TABLE, AND HAND VICES.

No.											4 lbs. and up.	Under 4 lbs.
883	Wrought Iron Black Bench Vices	..	..	..	..	..	..	..	..	..	1/5 per lb.	5/9 each.
											Size No. 1	2
884	Wrought Iron Table Vices (BLACK)	..	..	..	..	..	31/-	34/-	38/-	per doz.		
..	Ditto ditto (BRIGHT)	..	..	..	..	..	36/-	39/-	50/-	..		
							Size 3½	4	4½	4¾	5	5½
											6 inches.	
885	Wrought Iron Hand Vices	..	..	19/-	24/-	26/-	30/-	34/-	38/-	47/-	55/-	per dozen.




ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




857




858




859



860



861



862



863




864




865




866



867




183




880




881




882



184



883



884



885



## FARRIERS' & BLACKSMITHS' TOOLS.

No.		
1150	Best Smiths' Hearth Tongs, closed mouth ...	Light ... 2/- per pair.
1151	" " " open mouth ...	Over 4 lbs., ... /-6 per lb.
1152	Best Forged Gas Tube Tongs—	
	For Tube $\frac{1}{4}$ $\frac{3}{8}$ $\frac{1}{2}$ $\frac{5}{8}$ $\frac{3}{4}$ 1 1 $\frac{1}{4}$ 1 $\frac{1}{2}$ 1 $\frac{3}{4}$ 2 2 $\frac{1}{4}$ 2 $\frac{1}{2}$ 2 $\frac{3}{4}$ 3 inch.	
	20/- 22/- 24/- 25/- 28/- 32/- 37/- 44/- 52/- 58/- 65/- 74/- 80/- 94/-	per doz.
	Gas Tongs for Sockets, one size higher.	
1153	Best Forged Tower Farriers' Pincers—	
	9 9 $\frac{1}{2}$ 10 10 $\frac{1}{2}$ 11 11 $\frac{1}{2}$ 12 12 $\frac{1}{2}$ 13 inch.	
	17/- 18/6 20/- 22/- 24/- 26/- 28/- 30/- 32/-	per doz.
1154	Cast Steel Hardies .. .. .	-/9 per lb.
1155	" Farriers' Buffers or Jemmys .. .. .	10/- per doz.
1156	" Farriers' Pritchells .. .. . 9in., 9/- 10in.,	12/- "
1157	" Farriers' Shoe Turning Stamps, with Rods .. .. .	-/9 per lb.
1158	Best Warranted Bick Irons .. .. .	-/9 "
1159	Cast Steel Top and Bottom Fullers, with Rods .. .. .	-/9 "
1160	" " " Swages, " " .. .. .	-/9 "
1161	" Flattening Hammers, with Rods .. .. .	-/9 "
1162	" " " Eyed (not handled) .. .. .	-/10 "
	Wood Handles, 2/- per doz. extra.	
1163	Cast Steel Hand Drifts, Round .. .. .	-/9 "
1164	" " Square .. .. .	-/9 "
1165	" Round Punches, with Rods .. .. .	-/9 "
1166	" Square " " " .. .. .	-/9 "
1167	" Hot Sates, with Rods .. .. .	-/9 "
1168	" Cold " " " .. .. .	-/9 "
1169	Best Steel Round Mandrils .. .. .	-/7 "
1170	" Square " " " .. .. .	-/7 "
1171	Best Smiths' Shovel .. .. .	
1172	" Rake .. .. .	} 7/6 per set.
1173	" Poker .. .. .	
1174	Cast Steel Round Heading Tool, with Rods .. .. .	-/9 per lb.
1175	Best Steel Round Bolster .. .. .	-/7 "
1176	" Square " " " .. .. .	-/7 "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



1150



1154



1152



1151




1155




1153




1156



1157




1159



1160



1161



1158



1163



1164




1165



1162



1166



1167



1168



1169




1170



1171



1174



1172



1175



1173



1176



BRITISH AND METRICAL MEASURES.

Inches.	Milli- mètres.	Inches.	Centi- mètres.	Inches.	Centi- mètres.	Inches.	Centi- mètres.	Inches.	Centi- mètres.	Inches.	Centi- mètres.
$\frac{1}{32}$	0.79	$1\frac{1}{8}$	4.76	5	12.69	$10\frac{1}{2}$	26.7	$17\frac{1}{2}$	44.5	36	91.4
$\frac{1}{16}$	1.58	2	5.07	6	15.23	$10\frac{3}{4}$	27.3	$17\frac{3}{4}$	45.0	3 ft.	
$\frac{3}{16}$	3.17	$2\frac{1}{8}$	5.39	$6\frac{1}{4}$	15.87	11	27.9	18	45.7	38	96.5
$\frac{1}{8}$	4.76	$2\frac{1}{4}$	5.71	$6\frac{1}{2}$	16.5	$11\frac{1}{4}$	28.5	$18\frac{1}{4}$	46.0	3 ft. 2 in.	
$\frac{3}{8}$	6.34	$2\frac{3}{8}$	6.03	$6\frac{3}{4}$	17.1	$11\frac{1}{2}$	29.2	$18\frac{1}{2}$	47.0	Mètre.	
$\frac{1}{2}$	9.52	$2\frac{1}{2}$	6.34	7	17.8	$11\frac{3}{4}$	29.8	19	48.3	$39\frac{3}{8}$	1.
		$2\frac{5}{8}$	6.66	$7\frac{1}{4}$	18.4	12 (1 foot)	30.5	20	50.8	40	1.016
		$2\frac{3}{4}$	6.98	$7\frac{1}{2}$	19.0	$12\frac{1}{4}$	31.1	21	53.3	3 ft. 4 in.	
		$2\frac{7}{8}$	7.30	$7\frac{3}{4}$	19.6	$12\frac{1}{2}$	31.7	22	55.8	42	1.066
$\frac{1}{32}$	1.26	3	7.61	8	20.3	$12\frac{3}{4}$	32.3	23	58.4	3 ft. 6 in.	
$\frac{1}{16}$	1.58	$3\frac{1}{8}$	7.93	$8\frac{1}{4}$	20.9	13	33.0	24 (2 ft.)	60.9	48	1.219
$\frac{3}{16}$	1.90	$3\frac{1}{4}$	8.25	$8\frac{1}{2}$	21.5	$13\frac{1}{2}$	34.2	26	66.0	4 ft.	
$\frac{1}{8}$	2.22	$3\frac{1}{2}$	8.57	$8\frac{3}{4}$	22.2	14	35.5	2 ft. 2 in.		54	1.372
$\frac{3}{8}$	2.53	$3\frac{3}{8}$	8.88	9	22.9	$14\frac{1}{2}$	36.8	28	71.1	4 ft. 6 in.	
$\frac{1}{2}$	2.85	$3\frac{1}{2}$	9.20	$9\frac{1}{4}$	23.5	15	38.1	2 ft. 4 in.		54 $\frac{5}{16}$	1.380
$\frac{5}{8}$	3.17	$3\frac{3}{4}$	9.52	$9\frac{1}{2}$	24.1	$15\frac{1}{2}$	39.3	30	76.1	60	1.524
$\frac{3}{4}$	3.49	$3\frac{7}{8}$	9.84	$9\frac{3}{4}$	24.7	16	40.6	2 ft. 6 in.		5 ft.	
$\frac{7}{8}$	3.80	4	10.16	10	25.4	$16\frac{1}{2}$	41.9	32	81.2	66	1.676
$1\frac{1}{8}$	4.12	$4\frac{1}{8}$	11.42	$10\frac{1}{4}$	26.0	17	43.2	2 ft. 8 in.		5 ft. 6 in.	
$1\frac{1}{4}$	4.44							34	86.3	72	1.828
								2 ft. 10 in.		6 ft.	



BRITISH AND METRICAL WEIGHTS.

Ounces. Grammes. (ozs.)	Pounds. Kilos. (lbs.)	Pounds. Kilos. (lbs.)	Quarters. (qrs.)	Kilos.	Hundred- weights. Kilos. (cwt.)	Hundred- weights. Kilos. (cwt.)
1 ... 28	1 ... 0.45	15 ... 6.79	1 ... 12.68		1 ... 50.75	11 ... 558.25
2 ... 56	2 ... 0.90	16 ... 7.24	2 ... 25.37		2 ... 101.50	12 ... 609.00
3 ... 85	3 ... 1.35	17 ... 7.69	3 ... 38.05		3 ... 152.25	13 ... 659.75
4 ... 113	4 ... 1.80	18 ... 8.14	4 ... 50.75		4 ... 203.00	14 ... 710.50
5 ... 141	5 ... 2.25	19 ... 8.59	1 cwt.		5 ... 253.75	15 ... 761.25
6 ... 170	6 ... 2.71	20 ... 9.05	Kilos.	lbs. ozs.	6 ... 304.50	16 ... 812.00
7 ... 198	7 ... 3.17	21 ... 9.51	1 ... 2 3 $\frac{1}{4}$		7 ... 355.25	17 ... 862.75
8 ... 226	8 ... 3.62	22 ... 9.96	50 ... 110 3 $\frac{1}{4}$		8 ... 406.00	18 ... 913.50
9 ... 255	9 ... 4.07	23 ... 10.41	100 ... 220 7 $\frac{1}{2}$		9 ... 456.75	19 ... 964.25
10 ... 283	10 ... 4.52	24 ... 10.86	cwt. lbs.		10 ... 507.50	20 ... 1016.00
11 ... 311	11 ... 4.97	25 ... 11.32	1000 ... 19 77			
12 ... 340	12 ... 5.42	26 ... 11.77	ton.			
13 ... 368	13 ... 5.88	27 ... 12.23	1016 ... 1			
14 ... 396	14 ... 6.34	28 ... 12.68				
15 ... 425		1 qr.				
16 ... 454						
1 lb.			1 ton =	20 cwt. =	K. 1016.00	
			1 cwt. =	4 qrs. =	50.75	
			1 qr. =	28 lbs. =	12.68	
			1 lb. =	16 ozs. =	.45	
			1 oz. =		.028	

## **SECTION VIII.**

---

**PICKS ; MINERS', RAILWAY CONTRACTORS',  
AND ROADMEN'S TOOLS ;  
WORKS TOOLS ; SHIP CHANDLERS',  
MASONS', AND SLATERS' TOOLS.**



## PICKS, PICKAXES, MATTOCKS, AND BEATERS.

5 lb. each and upwards.

No.				A Quality.	B Quality.	C Quality.
				Solid Cast Steel Ends, Best Black Finish, Extra Polished Points.	Heavily Steeled Ends, Black Finish, Polished Points.	Steeled Ends, Self colour, Bright Points.
212	Solid oval eye Picks	...	...	40/-	35/-	32/- per cwt.
213	" " " Pickaxes	...	...	40/-	35/-	32/- "
214	" " " Mattocks	...	...	41/6	36/6	33/6 "
215	" " " Navvies' Picks	...	...	40/-	35/-	— "
216	" " " Stone Picks	...	...	50/-	—	— "
216A	" " " Quarry Picks	...	...	52/-	—	— "
217	" " " Platelayers' Beaters	...	...	44/-	38/-	— "

EXTRA—4 to 5 lb. 3/- per cwt. extra.

			4	4½	5	5½	6 lbs.
218	Solid oval eye Hammer Head						
	Miners' Picks	...	...	27/-	29/-	31/-	33/- 35/- per doz.




ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



212



213




214



215



216



216 A



217



218



## MINERS' TOOLS.

No.		2½ to 3	3½ to 4½	5 lbs. and up.
925	Top Mandrils ... ..	50/-	45/-	40/- per cwt
926	Bottom " ... ..	50/-	45/-	40/- "
927	Wedges ... ..	38/-	30/-	26/- "
928	" ... ..	38/-	30/-	26/- "
929	Steel Poll Miners' Axes ... ..			-/7 per lb.
			6 lbs. and under	over 6 lbs.
188	Cast Steel Sledge Hammers ... ..		-/6	-/5½ per lb.

*Every description of Miners' Tools made to any pattern required.*

## MINERS' TOOLS IN SETS.

### SET No. 1.

	s.	d.	s.	d.
1—6 lbs., No. 926—Bottom Mandril @ 40/- per cwt. ...	2	2		
1—3¾ lbs., ditto ditto @ 45/- " ...	1	6		
3—2½ lbs., No. 925—Top ditto = 7½ lbs. @ 50/- per cwt. ...	3	4		
			7	0 per set.

### SET No. 2.

	s.	d.	s.	d.
4—2½ lbs., No. 925—Top Mandrils = 10 lbs. @ 50/- per cwt. ...	4	6		
1—6 lbs., No. 926—Bottom Mandril @ 40/- per cwt. ...	2	2		
1—3½ lbs., No. 927 (or No. 928)—Wedge @ 30/- per cwt. ...	0	11		
1—ea. 6, 7 lbs., No. 188—Cast Steel Sledge Hammer @ -/5¼ lb.	5	8		
			13	3 per set.

### SET No. 3.

	s.	d.	s.	d.
3—2½ lbs., No. 925—Top Mandrils = 7½ lbs. @ 50/- per cwt. ...	3	4		
2—6 lbs., No. 926—Bottom " = 12 lbs. @ 40/- " ...	4	3		
1—3½ lbs., No. 927 (or No. 928)—Wedge @ 30/- " ...	0	11		
1—8 lbs., No. 188—Cast Steel Sledge Hammer, -/5 per lb. ...	3	6		
			12	0 per set.

*Sets of Miners' Tools varied to order.*

## INTERCHANGEABLE COAL MINERS' PICKS.

	1½	1¾	2	2½	2¾	3	3½ lbs.
936 H Blades only ... ..	1/5	1/7	1/8	1/10	1/11	2/1	2/2 2/5 each.
Headed Shafts, with Ferrule, 1/8 each.							Headed Shafts, without Ferrule, 1/6 each.

## INTERCHANGEABLE PICKS, PICKAXES, & MATTOCKS.

4 to 5 lbs.	5 lbs. and up.
43/-	40/- per cwt.


If under 4 lbs. weight, same prices as Coal Miners' Picks.

	36	32 inch.
Headed Shafts, with Ferrule ... ..	28/-	24/- doz.




# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE


*Engravings on this page are all quarter actual size of the weights indicated, except 936 H, which is one-eighth size of headed shaft, with  $2\frac{1}{2}$  lb. blade.*



**925**  
3 lbs.



**926**  
 $3\frac{1}{2}$  lbs.




**927**  
4 lbs.




**928**  
5 lbs.



**188**  
7 lbs.



**936 H**



**929**  
7 lbs.





## MINING AND PLANTING BARS, RAILWAY TOOLS, &c.

No.		STEEL.	ALL STEEL.
913	Mining Bars ... ..	24/-	26/- per cwt.
914	Jumping or Mining Borers ... ..	24/-	26/- "
915	Planting Bars with Chisel and Point...	26/-	28/- "
916	" " " Spade End and Point ... ..	24/-	26/- "
917	Miners' Charging Spoons ... ..	22/-	doz.
918	Miners' Unloaders ... ..	22/-	"
919	Miners' Copper Prickers ... * ...	3 3½ 4 ft. 60/- 65/- 70/-	"
920	Miners' Best Cast-steel Octagon Drills ... ..		50/- per cwt.

### 921

#### RAIL BENDERS, OR JIM CROWS.

Screw, Frame and Head of best hammered Scrap Iron; Lever of Wrought-Iron;  
Machine-Cut Square thread Screw.

				Size	1	2	3	3 A	4
To Bend Ordinary Sections Steel Rails up to					20	45	65	75	90 lbs. per yard.
Span, centre to centre of Claws ...				...	16	20	24	24	24 inches.
Diameter of Screw ...				...	2	2½	2½	2⅝	2¾ "
Approximate Weight ...				...	68	105	142	156	189
Price including Lever ...				...	50/-	70/-	100/-	120/-	140/- each.

*When ordering, a section of the Rail to be bent must be furnished.  
This Bender can be made to suit any section of Tram Rail.*

922	Platelayers' Rail Gauges ... ..					8/6 each.
923	" " " two sizes ... ..					5/- "
	" " " one size ... ..					4/6 "
924	" Ash Levers, shod ...	8 21/-	9 26/-	10 30/-	12½ 40/-	15 feet. 50/- each.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



917



913



918



914



919




915



920



916



921



922



923



924



## WEDGES AND CROWBARS.

No.

<b>210</b>	Cast-steel Stone Wedges ... ..	} 36/- per cwt.
<b>210 A</b>	" " " " " " " " " "	

STEELED. CAST STEEL.

<b>221</b>	Wood Splitting Wedges ... ..	26/-	36/- per cwt.
<b>222</b>	" " " " with groove ... ..	28/-	38/- "

STEELED. ALL STEEL.

<b>224</b>	Plain Round Crowbars, with Claw and Point ...	24/-	26/- "
<b>225</b>	Square and Round Tapered Crowbars, with Claw and Point ... ..	30/-	32/- "
<b>227</b>	Square and Round Tapered Pinch Bars ...	28/-	30/- "
<b>228</b>	Round Jumpers with Swell, double ended ...	28/-	30/- "
<b>910</b>	Square Road Wedges... ..	24/-	"
<b>911</b>	Round " " " " " " " " " "	26/-	"
<b>912</b>	Octagon " " " " " " " " " "	28/-	"



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



210



910



210 A



221



912



222



224



225



911



227



228



## ROADMEN'S TOOLS.

### PICKS, PICKAXES, MATTOCKS & ROAD HACKS.

5 lb. each and upwards.

No.			A Quality.	B Quality.	C Quality.
			Solid Cast Steel Ends, Best Black Finish, Extra Polished Points.	Heavily Steeled Ends, Black Finish, Polished Points.	Steeled Ends, Self colour, Bright Points.
212	Solid oval eye Picks	...	40/-	35/-	32/- per cwt.
213	" " " Pickaxes	...			
214	" " " Mattocks	...	41/6	36/6	33/6 "
657	" " " Road Hacks...	...	53/-	48/-	— "

EXTRA—4 to 5 lb., 3/- per cwt. extra.

### ROAD SCRAPERS, ROAD RAKES, & STREET CLEANERS.

161	Improved Steel Road Scrapers dished all round, with eyes...	}	10	12	14	16	18	20	22	24	in.
162	Improved Steel Road Scrapers, dished at sides, with Sockets		21/-	22/-	24/-	26/-	28/-	30/-	32/-	34/-	per doz.
163	Improved Steel Road Scrapers, dished all round, with Sockets <b>County Council Pattern.</b>		Handled with 6ft. Ash Handles, and Sockets polished, 10/- per doz. extra.								
658	Improved Steel Road Scrapers, flat, with Sockets ... ..										
659	Improved Steel Street Cleaners, to push		16	18	20	in.					
			36/-	38/-	40/-	per doz.					
	Cranked Sockets, same price.										
164	Improved Solid Steel Teeth	}	7	8	9	10	12	14	16	teeth.	
	Road Rakes ... ..		35/-	40/-	45/-	50/-	55/-	—	—	per doz.	
	Shouldered Teeth Road Rakes		—	25/-	—	30/-	35/-	40/-	45/-	"	
	Handled with 6ft. Ash Handles, and Sockets polished, 10/- per doz. extra.										

### WEDGES AND CROWBARS.

210	Cast Steel Stone Wedges	...	...	...	...	36/-	per cwt.
224	Plain Round Crowbars, with Claw and Point	...	...	...	...	24/-	"
910	Square Road Wedges	...	...	...	...	24/-	"
911	Round " "	...	...	...	...	26/-	"
912	Octagon " "	...	...	...	...	28/-	"



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




212



214




657



161




210



162



910



163




658



224



164



659





## WORKS TOOLS AND LADLES FOR LEAD, COPPER & OTHER METALS



119 CAST STEEL COKE FORKS. Black Square Prongs.					132 FURNACE PAN BITS. 46/- per cwt.	
Prongs.	Width. Inches.	Length. Inches.		Per Doz.	538 RETORT CHARGING SHOVELS. Width. Length. Inches.	
10	...	15 × 18	...	120/-	9 × 16	... 42/- per doz.
11	...	16 × 18	...	132/-	Long handles, 3 ft. and above, 2/- doz. extra.	
12	...	16½ × 18	...	144/-	BEST WARRANTED ANVILS.	
14	...	17 × 18	...	168/-	No.	Weights from 84 lb. to 5 cwt. Per cwt.
16	...	18 × 18	...	192/-	175	Ordinary Smith's or } 32/- London Pattern ... }
Sides turned up 4/- per doz. extra.					860	Anvil, without Bick... 32/-
Prices of ◊ Prong Forks on application.					BEST WARRANTED VICES.	
					Weights from 31 lbs. up.	
					50/- per cwt.	
					Complete List of Anvils and Vices on application.	

### LADLES.

No.	LADLES.														
165	Wrought Iron Melting Ladles—														
No.	000	00	0	1	2	3	4	5	6	7	8	9	10	11	
	2	2½	2¾	3	3½	4	4½	5	5½	6	6½	7	7½	8 inches.	
	5/6	6/-	6/9	7/6	8/-	9/-	10/-	12/-	13/-	14/-	18/-	25/-	32/-	40/- per doz.	
167	Wrought Iron Short Shank Lead Ladles										...	...	...	-/6½ per lb.	
										4	4½	5	5½	6 inches.	
868	Wrought Iron Pitch and Seaming Ladles										18/-	19/-	20/-	23/-	26/- per doz.
869	Wrought Iron Socket Lead Ladles										...	...	...	...	-/7 per lb.
870	Wrought Iron Lead Pots, with loose Handles										...	...	...	-/7	"
871	Wrought Iron Lead Pots, with fixed Handles										..	...	...	-/7	"

Every description of Wrought Iron Ladles, Melting Pots, and Crucibles  
made to order.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





TRADE MARKS

# SHIP CHANDLERS' TOOLS.

No.

**165** Wrought Iron Melting Ladles—

Size No. 000	00	0	1	2	3	4	5	6	7	8	9	10	11	
2	2½	2¾	3	3½	4	4½	5	5½	6	6½	7	7½	8	inches.
5/6	6/-	6/9	7/6	8/-	9/-	10/-	12/-	13/-	14/-	18/-	25/-	32/-	40/-	per doz.

CAST STEEL ENGINEERS' HAMMERS.

201

200

201

487

### Ball Pane.

Cross Pane.

### Straight Pane.

1½ lbs. and up ... .. -**10** per lb. (**10½** per kilo.)

1 lb. and under ...	...	...	...	...	...	10/- per doz.
---------------------	-----	-----	-----	-----	-----	---------------

### STOCK SIZES.

3	4	6	8	12	16 ozs.	1 $\frac{1}{4}$	1 $\frac{1}{2}$	1 $\frac{3}{4}$	2	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3 lbs.
.085	.113	.170	.226	.340	.450	.567	.680	.790	.907	1	1.13	1.24	1.36 kilo.




NASH'S SOLID CAST STEEL HANDLED JOINERS' HAMMERS.

Carefully Hardened and Tempered, and all Warranted. Polished Oval Best Selected Handles.


[illegible]



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



No. 462 Drawing is half actual size of a No. 2.



201



1199 1200 1201



## MASONS' AND SLATERS' TOOLS, ENGINEERS' CHISELS, &C.

No.		No. 1	2	3	4	
138	Plasterers' Servers	10/6	13/6	16/6	18/- per doz.	
139	Masons' Hod Sockets			15/9	"	
140	Masons' Hair Hooks		2 prong. 20/-	3 prong. 27/-	"	
141	" Mortar Larries, solid			22/6	"	
1185	" Single Bolsters or Brick Dressers			18/-	"	
1186	" Double Bolsters			22/-	"	
1187	" Short Jointers			12/-	"	
1188	" Long Jointers			16/-	"	
1189	" Bright Cast Steel Line Pins			5/6	"	
1190	Slaters' Block or Dressing Irons			13/6	"	
1191	" Axes			40/-	"	
1192	" Cast Steel Rippers			36/-	"	
1193	Octagon Cast Steel Punches for Roofing Sheets	6 x 1/2 9/-	6 x 5/8 9/6	7 x 1/2 10/-	7 x 5/8 10/6	8 x 5/8 inch. 11/- per doz.
1194	Octagon Cast Steel Chisels for Roofing Sheets		7 x 5/8 10/6	8 x 5/8 11/-	8 x 3/4 inch. 12/- per doz.	
1195	Masons' Cast Steel Mallet Head Chisels			-/9 1/2	per lb.	
1196	" " " Points			-/9 1/2	"	
1197	" " Hammer Head Pitching Tools			-/9 1/2	"	
1198	" " " Chisels			-/9 1/2	"	
1199	{ Engineers' Cast Steel Chisels, with No. 1199 Diamond, No. 1200 Cross Cut, or No. 1201 Half Round Points...					
1200					1/-	
1201					"	
1202	Engineers' Cast Steel Chipping Chisels, flat, assorted widths				1/-	
1203	Cast Steel Caulking Chisels, for Gas Mains				1/-	



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



138



139



140



1186



1185



141



1187




1188



1189



1190



1191



1192



1193



1194



1195



1196



1197



1198



1199



1200



1201



1202



1203





## SECTION IX.



### **AXLES, CART-ARMS, AND SPRINGS.**



## COACH AXLES.

No.	SIZE TO—	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	inches.
228	Long Bolt Mail Axles, with ordinary cast-iron boxes	22/-	24/-	26/-	29/-	32/-	38/-	46/-	55/-	65/-	75/6	86/6	102/-	120/-	PER AXLE OF TWO ARMS.
	Coach Long Bolt Mail Axles, fitted with chilled boxes and Collinge's caps. Special quality and finish	25/-	27/-	29/-	32/6	35/6	41/6	50/-	59/-	69/6	81/-	92/6	109/6	129/-	
	Short Bolt Mail Axles, with ordinary cast-iron boxes	24/-	26/-	28/-	31/-	34/-	40/-	48/-	57/-	67/-	77/6	88/6	104/-	122/-	
234	Screwed End Nut Axles, with square nuts, long beds, 24 to 30 ins. long	15/6	18/-	20/6	24/-	29/6	34/-	41/6	48/-	58/-	—	85/-	—	124/-	
	Short beds, 6 to 12 inches long	13/-	15/-	17/-	20/-	24/6	28/6	34/6	40/-	48/6	—	71/-	—	103/-	
	Extra for Carron Boxes	1/6	1/6	1/6	1/6	1/6	2/-	2/-	2/-	2/-	—	2/6	—	2/6	
235	Collinge Patent Axles, with ordinary cast-iron boxes	33/-	36/-	39/-	43/-	48/6	57/6	66/-	77/6	92/-	105/6	120/6			PER AXLE OF TWO ARMS.
236	Coach Collinge Axles, fitted with chilled boxes. Special quality and finish	36/-	39/-	42/6	46/6	52/-	61/-	70/-	81/6	96/-	111/-	125/6			
237	Imitation Collinge Axles with single nut and collet and Collinge collar	32/-	35/-	38/-	42/-	47/6	56/6	65/-	76/6	91/-					
238	Imitation Collinge Axles with single nut and collet, and mail collar	30/-	33/-	36/-	40/-	45/6	54/6	63/-	74/6	89/-					

*A Key is sent with each Axle or Pair of Arms.*

### EXTRAS.


Plain and Caulked Flaps ...	6/-	6/6	7/-	7/6	8/6	9/6	11/-	13/-	15/-	17/-	20/-	25/-	30/-	PER AXLE OF TWO ARMS.
Butterfly or Square Flaps	10/6	10/6	11/-	11/6	12/6	14/-	16/-	18/-	20/-	24/-	28/-	34/-	40/-	
Flapping on Angle,	3/-	3/-	3/-	3/-	3/6	3/6	3/6	4/-	4/-	4/6	5/-	6/6	8/-	
Caulked or Butterfly	15/-	16/-	18/-	19/-	20/-	25/-	30/-	36/-	42/-	49/-	63/-	85/-	110/-	
Cranks up to 6 in. deep	1/9	1/9	2/-	2/-	2/3	2/3	2/9	3/3	4/-	4/6	5/3	6/6	8/6	
Cranks over 6 in. deep per inch	7/6	8/-	9/-	9/6	10/-	12/6	15/-	18/-	21/-	24/6	31/6	42/6	55/-	
Swept Axles, 3 in. to 6 in. deep	1/9	1/9	2/-	2/-	2/3	2/3	2/9	3/3	4/-	4/6	5/3	6/6	8/6	
Swept Axles, over 6 in. deep per inch	2/-	2/-	2/-	2/6	2/6	3/-	3/-	3/6	5/-	6/-	7/-	9/-	12/-	
Shutting up Straight Axles	2/6	2/6	2/6	3/6	4/-	4/6	5/-	6/-	7/-	8/6	10/-	13/-	17/-	
Shutting up Cranked Axles, to 12 in. deep	3/-	3/-	3/-	4/-	5/-	5/6	6/-	7/-	8/-	10/-	12/-	15/-	20/-	
Shutting up Cranked Axles, over 12 in. deep	7/-	8/-	9/-	10/-	11/6	13/-	15/6	18/-	21/-	22/6	24/-	25/6	27/-	
Wrought-iron Boxes for Mail and Collinge Axles	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	
Oil Screws in Caps ...	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	3/-	
Plating Caps ...	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/6	
Engraving Caps ...														

### SPARE PARTS.


Mail and Collinge Boxes, wrought-iron	11/6	11/6	13/6	14/6	15/6	18/6	21/-	25/-	30/-	38/-	46/-	55/-	75/-	per box.
Mail Boxes, cast-iron	5/-	5/-	5/6	6/-	6/6	7/6	8/6	9/6	11/6	13/6	16/-	22/-	30/-	"
Mail Boxes, Chilled	7/-	7/-	8/-	9/-	10/-	11/-	12/-	15/-	18/-	22/-	26/-	32/-	40/-	"
Extra if fitted to Axle	1/-	1/-	1/-	1/-	1/-	1/6	1/6	1/6	1/6	2/-	2/-	3/-	4/-	"
Mail Caps	2/6	2/6	3/-	3/-	3/6	4/-	4/-	5/-	5/-	6/6	8/-	10/-	13/-	per cap.
Collinge Boxes, cast-iron	6/-	6/-	6/6	7/6	8/6	9/6	10/6	12/6	14/6	18/-	24/-	35/-	52/6	per box.
Collinge Boxes, Chilled	9/-	9/-	10/-	10/6	11/6	13/-	14/-	16/-	19/-	22/-	27/-	36/-	52/6	"
Extra if fitted to Axle	1/6	1/6	1/6	1/6	1/6	2/-	2/-	2/-	2/-	2/6	3/-	4/-	5/-	"
Collinge Caps	3/-	3/-	3/6	4/-	4/6	5/-	5/6	6/6	6/6	8/-	11/-	13/-	15/-	per cap.
Collinge Nuts and Collett	1/6	1/6	1/9	1/9	2/-	2/-	2/6	3/-	4/-	5/-	6/-	7/-	8/-	nut or } c'lett }
Mail Keys	1/-	1/3	1/3	1/6	1/6	1/9	2/-	2/3	2/6	3/-	3/6	4/-	5/-	per key.
Collinge Keys	2/-	2/-	2/3	2/3	2/6	2/6	2/9	2/9	3/-	3/3	3/6	4/-	5/-	"



# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



228



228 (Section)



Mail Key.



Mail Box.



235



236 (Section.)




Collinge Key.



Collinge Box.




237



238 (Section.)



234



Long Bolt Mail Axle, with Caulked Flap.




Plain Flap with Holes.




Caulked Flap\*



Butterfly Flap.




Bevelled Crank. Straight Bed.  
Butterfly Flap on Top Corner.




Plain Crank.

*Depth of Crank is measured from Centre to Centre.*




Bevelled Crank, Swept Bed,  
Butterfly Flap on Top Corner.



Round Crank,  
Flap on Top Corner.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE







## OMNIBUS AXLES.

SPECIAL QUOTATIONS WILL BE FURNISHED ON RECEIPT OF PARTICULARS  
OF REQUIREMENTS.

### STANDARD LENGTHS OF BOXES AND CAPS.

#### LONG BOLT MAIL AXLES.

	Size	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$ inch.
Length of Box ...	7	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$	12	"
" " and Cap	7 $\frac{3}{4}$	8 $\frac{1}{4}$	9	9 $\frac{1}{2}$	10	10 $\frac{1}{2}$	11 $\frac{1}{4}$	11 $\frac{3}{4}$	12 $\frac{1}{4}$	13	13 $\frac{1}{2}$	"

#### COLLINGS AXLES.

Length of Box ...	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$	12	12 $\frac{1}{2}$	"
" " and Cap	8 $\frac{3}{4}$	9 $\frac{1}{8}$	9 $\frac{3}{8}$	10 $\frac{1}{8}$	11 $\frac{1}{8}$	11 $\frac{3}{4}$	12 $\frac{1}{2}$	13	13 $\frac{1}{2}$	14 $\frac{1}{4}$	14 $\frac{3}{4}$	"

#### IMITATION COLLINGS AXLES.

Length of Box ...	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$	12	12 $\frac{1}{2}$	"
" " and Cap	8 $\frac{3}{4}$	9 $\frac{1}{8}$	9 $\frac{3}{8}$	10 $\frac{1}{8}$	11 $\frac{1}{8}$	11 $\frac{3}{4}$	12 $\frac{1}{2}$	13	13 $\frac{1}{2}$	14 $\frac{1}{4}$	14 $\frac{3}{4}$	"

#### DRABBLE'S VAN ARMS (London Pattern).

	Size	1 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	2 $\frac{5}{8}$	2 $\frac{3}{4}$	2 $\frac{7}{8}$	3	"
Length of Box ...	7 $\frac{1}{2}$	8	9	9	9 $\frac{1}{2}$	9 $\frac{1}{2}$	10	10	10 $\frac{1}{2}$	10 $\frac{1}{2}$	11	11	11 $\frac{1}{2}$	11 $\frac{1}{2}$	"
" " and Cap	9 $\frac{1}{4}$	10	11	11	12	12	12 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	13 $\frac{1}{2}$	14	14	14 $\frac{1}{2}$	14 $\frac{3}{4}$	"

#### SCREWED END NUT AXLES.

	Size	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	"
Length of Box ...	4 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	10	10	10	11	11	"

#### CART ARMS.

	Size	1 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{4}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3	"
Length of Box ...	8	8 $\frac{1}{2}$	9	10	10	10	11	11	11	11	12	"

*Any deviation from above must be clearly stated on Order.*

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




974 Front.

974 Hind.

975 Front.

975 Hind.







## DRABBLE'S VAN ARMS AND AXLES.

No.	SIZE—	1½	1½	1½	1½	1½	1½	2	2½	2½	2½	2½	3	inch.
<b>247</b>	London Pattern, Flat Beds, Black	32/-	34/-	36/-	40/-	44/-	47/-	50/-	53/-	56/-	62/-	72/-	85/-	per pair.
<b>248</b>	Long Flat Beds, Black, for shutting up	34/-	36/6	39/-	43/6	48/-	52/-	55/-	58/6	62/-	70/-	80/6	100/-	per axle of 2 arms
	Scotch Edge Beds, Black, for shutting up	34/-	36/6	39/-	43/6	48/-	52/-	55/-	58/6	62/-	70/-	80/6	100/-	"
<b>249</b>	Round Beds, Black, for shutting up	34/-	36/6	39/-	43/6	48/-	52/6	57/6	61/6	66/-	77/6	91/-	115/-	"
<b>250</b>	Square Beds, Black, for shutting up	35/-	37/6	40/-	45/-	50/-	55/-	60/-	65/-	70/-	85/-	100/-	125/-	"
<b>976</b>	Yorkshire Pattern, Flat Beds, Black	29/-	31/-	32/6	36/-	40/-	42/6	45/-	48/-	51/-	56/-	65/-	77/6	per pair.
	Length of Beds not to exceed	13	13	13	14	14	15	15	16	16	17	18	19	inches.

*A Key is sent with each Axle or Pair of Arms.*

### EXTRAS.

Cranked to 6 inches deep, Black	53/-	55/6	59/-	68/6	77/-	86/6	96/6	106/-	117/-	142/-	170/-	215/-	per Axle of 2 arms
Cranks over 6ins. deep Black, per inch	2/-	2/-	2/-	2/-	2/6	2/6	2/6	3/-	4/-	4/6	5/6	6/6	"
Screwed Ends, V Thr'd " Sq. Thr'ds	2/-	2/-	2/-	2/-	2/6	2/6	2/6	3/-	3/-	3/6	3/6	4/-	"
Collinge Collars ...	4/-	4/-	4/-	4/-	5/-	5/-	5/-	6/-	6/-	7/-	7/-	8/-	"
Plain or Caulked Flaps, Black	7/-	7/6	8/-	9/-	12/-	15/-	22/6	30/-	40/-	50/-	60/-	70/-	"
Butterfly Flaps, Black	7/-	7/-	7/-	9/-	10/6	11/6	13/-	15/-	17/-	20/-	24/-	29/-	"
Shutting up Straight Axles	10/6	10/6	11/6	13/-	15/-	17/-	19/-	23/-	27/-	39/-	45/-	60/-	"
Shutting up Cranked Axles to 12ins. deep	2/-	2/6	2/6	3/-	3/6	4/-	5/-	6/-	7/-	8/-	9/-	10/-	"
Shutting up Cranked Axles, above 12ins. deep	2/6	3/6	4/-	4/6	5/-	6/-	7/-	8/6	10/-	15/-	20/-	25/-	"
Swells in Centre ...	3/-	4/-	5/-	6/-	7/-	8/-	9/-	10/-	12/-	17/6	25/-	30/-	"
Making Interch'ng'able Oil Screws in Caps ...	4/6	4/6	5/-	5/6	6/-	6/-	7/-	7/-	7/6	9/-	11/-	15/-	"
Engraving Caps ...	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	"
	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	"
	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	"

### SPARE PARTS.

Boxes ...	3/6	4/-	4/6	5/-	5/6	6/-	6/6	7/-	7/6	8/-	10/-	12/-	per box.
Boxes, extra if fitted to Axle	1/-	1/-	1/-	1/-	1/3	1/3	1/3	1/6	1/6	1/6	2/-	2/6	"
Caps ...	3/-	3/6	4/-	4/6	5/-	5/6	6/-	6/6	7/-	8/-	9/-	10/-	per cap.
Collett and Pin ...	3/-	3/3	3/6	3/9	4/-	4/3	4/6	4/9	5/-	5/6	6/-	6/6	collett and pin
Keys ...	1/6	1/9	2/-	2/-	2/3	2/6	2/6	2/9	3/-	3/-	3/6	3/6	per key.




# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



247




248 L F



249



976




250 (Shut Up)




Round Crank,  
Flap on Top Corner.

Drabble's Plain Cranked Van Axle,  
with Caulked Flap on Top Corner  
of Crank.

*Depth of Crank is measured from Centre to Centre.*



Bevelled Crank, Swept Bed,  
Butterfly Flap on Top Corner.



Bevelled Crank, Straight Bed,  
Butterfly Flap on Top Corner.



## WAGON AND CART ARMS AND AXLES.

**TURNED CART ARMS & BOXES, S**  
with Steeled Bearings:—

No.		Size	1½	1¾	18	2	2¼	2⅝	2½	3 inch.
<b>241</b>	Ordinary Pattern ... ..	" "	14/-	16/-	18-	20/-	23/-	26/-	29/-	33/-
<b>242</b>	Scotch Edge Beds, for shutting-up	" "	17/-	19/6	22-	25/6	29/-	32/6	36/-	40/6
<b>243</b>	Long Flat Beds	" "	18/6	21/6	24/6	28/6	34/6	39/6	45/-	51/6
<b>244</b>	Round Beds	" "	14/-	16/-	18-	20/-	23/-	26/-	29/-	33/-
<b>245</b>	Square Beds	" "	2/-	2/6	3/-	3/3	3/3	3/6	3/9	4/-
<b>246</b>	Lancashire Pattern	" "	... ..	... ..	... ..	... ..	... ..	... ..	... ..	... ..
	Spare Boxes...	" "	... ..	... ..	... ..	... ..	... ..	... ..	... ..	... ..
	Magg's Pattern Boxes,	same price.								

**EXTRAS.**

	Per axle of 2 arms.																	
Solid Collars ... ..	...	2½	2½	2½	2½	2½	2½	2½	2½	2½	2½	2½	2½	2½	2½	2½	2½	2½
Plain or Caulked Flaps	...	7½	9	10 6	11 6	13	15	17	18 6	20	24	29	29	29	29	29	29	29
Cranked to 6 inch deep	...	40	45	50	60	70	80	90	105	120	145	185	185	185	185	185	185	185
Extra per inch beyond 6 inch deep	...	2½	2½	2 6	2 6	2 6	3	4	4	4 6	5 6	6 6	6 6	6 6	6 6	6 6	6 6	6 6
Shutting up Straight Axles	...	2 6	3	3 6	4	5	6	7	7 6	8	9	10	10	10	10	10	10	10
" " Cranked Axles to 12 inch deep	...	4	4 6	5	6	7	8	10	12 6	15	20	25	25	25	25	25	25	25
" " above 12 inch deep	...	5	6	7	8	9	10	12	14 9	17 6	25	30	30	30	30	30	30	30
Swelled Centre with hole	...	5	5 6	6	6	7	7	7 6	8 3	9	11	15	15	15	15	15	15	15
"Carron" Boxes	...	1 6	2	2	2	2	2	2 6	2 6	2 6	2 6	3	3	3	3	3	3	3

Per axle of 2 arms.

Nos.

SCOTCH AND IRISH CART AXLES AND BOXES IN ARMS.

[illegible]

EXTRAS—

No. <b>986</b> , Linch.	No. <b>987</b> , Body.					
		<b>CART CLOUDS.</b>				
		2      3      4	5	6	7	8 lbs.
		10/-    11/6    14/-	17/-	20/-	23/-	26/- per gross.
		Steeld, 16/- per gross extra.				




# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



\*Linch Pin, Collet and Box.



Swelled Centre with Hole.



986



987



241

Magg's Pattern Box.

246



242 (Shut-up.)




243 (Shut-up.)



245 (Shut-up.)



251 (Shut-up)



252 (Shut-up.)

In ordering Shut-up Axles the distance from Bush to Bush should be stated.





## BEST FITTED AND FINISHED SPRINGS,

Made from Steel of Reliable Quality, suitable for Carts, Vans, Lurries, Carriages, &c.

No.	4 PLATES AND UP.		1½	1½	1½	2	2½ and 2½ in.
100	Ordinary Cart, Eyes down }	Black ..	34/-	30/6	27/-	25/6	24/- per cwt.
103	Wagon, Eyes up .. }	Bright ..	43/-	39/-	35/-	33/-	31/- "
	Small Cart Springs (Truck 3 plates, Black ..	5/6	5/9	6/6	7/6	8/-	per pair.
	Springs), also Back and 4 plates, " ..	6/9	7/9	8/3	9/3	10/-	"
	Check Springs .. 5 plates, " ..	8/3	9/6	10/-	11/6	12/6	"
	4 PLATES AND UP.						
104	Elliptic or Brougham Springs,	Black ..	45/-	42/-	39/6	37/-	35/- per cwt.
		Bright ..	54/-	51/-	48/-	45/-	42/- "
	3 plates, Black ..	16/3	17/-	—	—	—	per pair.
		Bright ..	18/6	19/6	—	—	"
	2 plates, Black ..	13/-	13/6	—	—	—	"
		Bright ..	14/6	15/-	—	—	"

EXTRAS. Open Heads, 1/8 each; India-Rubber Eyes, with Gun-metal Bearings, 1/- each; Open Heads, with India-Rubber Eyes and Gun-metal Bearings to Brougham Springs, 10/- per set of 4 Springs.

## SCROLL IRONS, &c.

		For Springs		1½	1½	1½	2	2½	2½ men.	
200	Ordinary, ⅜ in. Bolt ..	..	5/3	5/3	5/8	6/-	—	—	per set of 4.	
	⅜ in. " ..	..	—	—	6/-	6/6	6/9	—	" "	
	½ in. " ..	..	—	—	—	9/-	10/-	11/9	" "	
201	Branch, } ⅜ in. Bolt ..	..	—	9/8	11/4	12/-	—	—	" "	
	⅜ in. " ..	..	—	10/-	11/9	13/-	13/9	14/6	" "	
202	Ell Flap, } ⅜ in. " ..	..	8/9	9/3	9/6	—	—	—	" "	
	⅜ in. " ..	..	—	—	9/9	10/6	11/3	—	" "	
203	Globe } ⅜ in. " ..	..	—	9/8	10/6	11/4	—	—	" "	
	⅜ in. " ..	..	—	10/-	11/-	12/-	12/6	13/6	" "	
204	Bridge } ½ in. " ..	..	—	—	11/9	13/-	13/6	13/9	" "	
205	Plate and Barrel- } ⅜ in. Bolt ..	..	7/-	7/6	7/9	9/6	—	—	" "	
	Plate Scrolls or } ⅜ in. " ..	..	—	—	9/-	10/-	11/-	11/6	" "	
	Dumb-Jacks .. } ½ in. " ..	..	—	—	—	11/-	11/9	13/-	" "	
206	Bolted D Shackles ..	1½ 1/8	1½ 1/9	1½ by ⅜ 1/11	1½ by ⅜ 2/-	2 by ⅜ 2/1	2 by ⅜ 2/2	2½ by ⅜ 2/3	2½ by ½ in. 2/6 per set of 4	
302	Half Round Spring Clips									
Wide. Deep.	Per doz.	Wide. Deep.	Per Doz.	Wide. Deep.	Per Doz.	Wide. Deep.	Per Doz.	Wide. Deep.	Per lb.	
1½ by 2½ in.,	4/9	1½ by 2½ in.,	5/5	1½ by 2½ in.,	5/9	1½ by 4 in.,	6/6	1½ by 3½ in. & up,	-/5½	
1½ by 3 "	5/-	1½ by 3 "	5/6	1½ by 3 "	6/1	2 by 3 "	6/6	2 by 3½ "	-/5½	
		1½ by 3½ "	5/8	1½ by 3½ "	6/4			2½ in.	-/5	
								2½ "	-/5	

# ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE

Ordinary Cart Spring, No. 100, and Scroll Irons.

FRONT SCROLL, No. 200 F.

HIND SCROLL, No. 200 H



302



Ordinary Cart Spring, No. 100, with Front Ordinary Scroll and Hind Globe Scroll


FRONT SCROLL, No. 200 F.

HIND SCROLL, No. 203 H.




203 F

FRONT.



206



Pair of Ordinary Cart Springs, No. 100, with Front Scrolls, No. 200 F, D Shackles, No. 206, and back Spring

205 H

HIND.



204


BRIDGE (FRONT).




BARREL BRIDGE (HIND).




202



103



104



FRONT.

201

HIND



# WEIGHT LIST.

## CART, VAN, AND CARRIAGE SPRINGS.

CART SPRINGS, No. 100.					VAN SPRINGS, No. 103.				
Eyes down.					Eyes up.				
$\frac{1}{4}$ in. Plates with $\frac{5}{16}$ Top Plates.					$\frac{5}{16}$ in. Plates with No. 2 G Top Plates.				
Width. Inches.	Plates.	Length. Inches.	Approx. Weight per pair. lbs.	* To carry per pair. cwts.	Width. Inches.	Plates.	Length. Inches.	Approx. Weight per pair. lbs.	* To carry per pair. cwts.
$1\frac{3}{4}$	4	44	35	5	2	6	36	56	15
$1\frac{3}{4}$	5	44	41	6	2	6	39	62	14
$1\frac{3}{4}$	5	46	45	$6\frac{1}{2}$	2	6	42	66	13
$1\frac{3}{4}$	5	48	47	6	2	7	39	69	16
$1\frac{3}{4}$	6	48	56	7	2	7	42	72	15
$1\frac{3}{4}$	6	50	60	$6\frac{1}{2}$	2	7	45	76	14
2	4	36	36	8	2	8	42	80	17
2	5	46	51	8	2	8	45	84	15
2	5	48	54	$7\frac{1}{2}$	2	8	48	90	13
2	6	48	61	9	$2\frac{1}{4}$	7	36	75	21
2	6	50	64	$8\frac{1}{2}$	$2\frac{1}{4}$	7	39	79	20
CROSS (BACK) SPRINGS.					$2\frac{1}{4}$	7	42	83	18
					$2\frac{1}{4}$	8	39	96	23
					$2\frac{1}{4}$	8	42	100	21
					$2\frac{1}{4}$	8	45	104	20
					$2\frac{1}{4}$	9	42	111	25
					$2\frac{1}{4}$	9	45	117	24
					$2\frac{1}{4}$	9	48	123	22
					ELLIPTIC SPRINGS, No. 104.				
					$1\frac{1}{2}$	5	36	60	13
					$1\frac{1}{2}$	5	38	66	12
$1\frac{1}{2}$	4	34	12	$2\frac{1}{2}$	$1\frac{3}{4}$	4	32	56	$10\frac{1}{2}$
$1\frac{3}{4}$	5	36	18	4	$1\frac{3}{4}$	4	34	60	10
$1\frac{3}{4}$	5	38	19	$3\frac{3}{4}$	$1\frac{3}{4}$	4	36	63	$9\frac{3}{4}$
2	5	36	20	5	$1\frac{3}{4}$	5	36	70	14
2	6	38	21	$6\frac{1}{2}$	$1\frac{3}{4}$	5	38	74	13
					2	6	36	88	21
					2	6	38	91	20
					2	6	40	93	19
					$1\frac{1}{4}$	4	32	56	$10\frac{1}{2}$
					$1\frac{1}{4}$	5	38	66	12
					$1\frac{1}{4}$	6	44	72	14
					$1\frac{1}{4}$	7	48	84	16

\*These are the **total** approximate weights the Springs will carry; i.e., the weight of both body of vehicle and load, so that in ordering Springs for a vehicle intended to carry a certain maximum load, allowance must be made for weight of body.

















